

# 30XO STANDARD EQUIPMENT\*



Rendering may show both Standards and Options



252.482.3837  
Edenton, North Carolina  
regulatormarine.com

## Power & Ride

- Twin White Yamaha F350 4-Stroke Engines with DES Tilt Helm, DEC, and Electronic Key Switch with Wireless Key Fob
- Seakeeper Ride™ Underway Stabilization System

## T-Top, Helm & Electronics

- Fiberglass T-Top with Surfboard Edges, Spreader Lights and Multi-Colored LED Lights – Complete with Integrated, Vented, Wraparound Windshield, Windshield Wiper/Washer, with (10) Rocket Launchers built into Aft Support Frame
- White Powder Coat Package
- Factory-Installed Garmin® 30XO Premium Fish Package: Two 17" GPSMAP® 9217XSV Multi-Touch Widescreen Chartplotter/Sonar Displays, VHF 215 AIS Radio with Dual 8' Antennas, and Garmin® GT12M-THF CHIRP Transducer, Plus Black Flushmount Electronics Face and Remote Mic
- Offshore Command Center: Garmin® Multi-Function Displays with Digital Switching and Monitoring, Plus Proprietary Regulator MyHelm™ Interface for Seamless and Intuitive Connectivity of Key Functions via Touchscreen, and Dedicated MyHelm™ Key Fob for Main Power and Lighting Circuits
- Yamaha Next Generation Digital Boat Control System with Digital Electric Steering (DES) Tilt Helm, Multifunction Digital Electronic Control (DEC), Electronic Key Switches (EKS) with Wireless Fob, and WiFi-Enabled CL5™ Multifunction Touchscreen Display
- Ritchie® Compass
- Fusion® Apollo 770 Marine Stereo with AM/FM/WB, direct access to SiriusXM® Radio (requires subscription), Apple AirPlay, Bluetooth®, Integrated DSP, and (4) Backlit Speakers throughout Deck & Cockpit
- EZ-View Flushmount Electronic Mounting Face with Access in Head Compartment
- Illuminated Glove Box with Lid
- Recessed Console Storage Trays *(Replaced with Non-Skid Mat when Half Tower Station is Selected)*
- Recessed Comfort Footrest with Storage Access
- Stainless Steel Cup Holders (2)
- Integrated Switch Panel with LED Push Button Switches
- Stainless Steel Steering Wheel
- USB Charging Ports at Helm and in Forward Seating Area

## Console Interior

- Quad Battery System with Key Fob-Enabled Switches and Marine Batteries
- Stand-Up, Gel-Finished Head Compartment with Head with Holding Tank, Overboard Discharge, and Interior Lighting

## Deck & Cockpit

- Forward Deck Anchor Locker
- Self-Bailing Cockpit with Stainless Steel Scuppers
- Stainless Steel Through-Hull Fittings
- Bilge Pump with Automatic Float Switch
- 23 gal. Freshwater System with Wash Downs and Transom Shower
- Molded Non-Skid Horizontal Surfaces
- Coaming Pads
- Stainless Steel Hardware Through-Bolted with Elastic Stop Nuts
- Stainless Steel Pull-Up Cleats (6)
- Insulated, Illuminated Aft Platform Storage and Standard Livewell
- Cockpit Lighting
- Swim Platform with Ladder

## Seating

- 30XO Tackle & Entertainment Center with Corian® Countertop, Removable Cutting Board, Tackle Storage, Waste Basket, and Freshwater Wash Down, with (10) Rocket Launchers built into Aft Support Frame
- Upholstered Forward Console Settee with Sliding Footrest Extension and Built-In Insulated Cooler
- Integrated Flush-Folding Rear Cockpit Seats (3) with Integrated Dual Bucket Holders & Custom Buckets
- Forward Seating with Flip-up Backrests (2)
- Center Forward Seat with Dry Storage – Insulated, Illuminated

## Fishing Equipment

- Raw Water Wash Down and Livewell Plumbing
- Dual Forward Seat Fishboxes/Dry Storage – Insulated and Illuminated with Overboard Drains and Locking Rod Storage
- (6) Stainless Steel Aft Gunwale Conventional Rod Holders
- Forward In-Deck Fishbox – Insulated, Illuminated, Macerated
- Aft Starboard Livewell – Insulated, Illuminated

\* Some standards may be upgraded based on the options you choose. Model year specifications and pricing are subject to change at any time and may vary from those shown.

## SPECIFICATIONS

LOA.....	30' 7"
Beam.....	10' 2"
Height in Head.....	65"
Bridge Height* .....	108" (117" w/ Tower)
Height from Keel* .....	123" (134" w/ Tower)
Dry Weight w/ Engines.....	9,525 lbs
Fuel Capacity.....	222 gal
Deadrise .....	15 Degrees
Draft.....	21" Engines Up
Draft.....	35" Engines Down
Center Forward Storage.....	187 qts
Fwd Seat Fishbox/ Dry Storage (2).....	216 qts ea
In-Deck, Macerated Fishbox .....	294 qts
Console Settee .....	218 qts
Head w/ Holding Tank.....	9 gal
Freshwater Tank.....	23 gal
Aft Livewell.....	29 gal
Aft Platform Storage (2).....	116 qts ea

\* Measurement is to tallest available standard/option



252.482.3837  
Edenton, North Carolina  
regulatormarine.com

## 30XO OPTIONAL EQUIPMENT

### Exterior Colors

- Featured or Custom Hull Color – Entire Hull or Sides Only
- Black Powder Coat Package – includes T-Top Frame, Seatback Rails & Rocket Launcher, Helm & Forward Seating Integrated Handrails
- Black Powder Coat Package (*Tower*)

### Power & Systems

- Twin White Yamaha F350 4-Stroke Engines with DES Tilt Helm, DEC, and Electronic Key Switch with Wireless Key Fob – plus, Helm Master™ EX Joystick with Multimode Set Point™, EX Autopilot with Waypoint Deceleration
- Yamaha EX Autopilot with Waypoint Deceleration (*Standard with Helm Master™ EX*)
- Hydraulic Jackplates with Helm-Mounted Pro Trim Control
- Seakeeper® 1 Gyro Stabilization System (*Tackle Center Storage is altered with the selection of Seakeeper® 1*)
- Garmin® Force® Kraken 90" Trolling Motor with Garmin® MFD Interface, GPS Autopilot, Batteries, and 36A Charger
- Trolling Motor READY
- 36-Amp Battery Charger with 25' Cord (*for Engine and House Batteries*)

### T-Top & Tower

- Upper Station with Sliding Sunroof, Helm Seat with Handrails and (2) Cup Holders, Dual Station Controls, Engine Start/Stop Panel, Yamaha WiFi-Enabled CL5™ Display, and Garmin® 943 Display, with (10) Rocket Launchers built into Aft Support Frame (*Not Available with Dome Radar*)
- GEMLUX® Deluxe Outrigger Bases with 18' Collapsible Poles and GEMLUX® Double Rigger Kit
- T-Top Underside to Match Hull Sides
- T-Top Underside Different Than Hull Sides

### Seating & Upholstery

- Dove Gray Upholstery
- Sandbar Upholstery
- Coastal Cobia Upholstery
- Diamond Quilted Upholstery
- Real Teak Accents

### Electronics

- Factory-Installed Garmin® GMR™ 24 xHD Marine Dome Radar (*Not Available with LED Light Bar or Half Tower Station*)
- Factory-Installed Garmin® Fantom 24 Dome Radar (*Not Available with LED Light Bar or Half Tower Station*)

### Electronics (*Cont'd*)

- Factory-Installed Garmin® GXM™ 54 SiriusXM® Marine Weather Receiver Upgrade
- Factory-Installed Garmin® GT36UHD-TM Ultra High-Def ClearVü and SideVü Side Scan Transducer
- Entertainment Upgrade Package: Includes Fusion® Dynamically Calibrated System with (8) Premium Backlit Speakers, Subwoofer, Amps, and Integrated Wi-Fi
- (2) Inductive Cell Phone Chargers: (1) at Helm, (1) Inside Console
- (2) Inductive Cell Phone Chargers in Recessed Console Trays (*Not Available with Tower*)
- Electric Anchor Light and Antenna Mounts
- Multi-Colored Underwater LED Lights (2) with Underwater Camera
- Center Forward LED Light Bar on T-Top (*Not Available with Dome Radar*)

### Fishing Upgrades

- Dual 10' Power Pole Blades
- Second 29 gal. Aft Livewell (*Converted from Standard Aft Storage*)
- (8) Additional Forward Conventional Rod Holders OR (8) Additional Forward Cup Holder Rod Holders
- Under Gunwale Locking Rod Storage Boxes

### Comfort & Convenience

- Edson™ Wheel with Power Knob (*Console*)
- Edson™ Wheel with Power Knob (*Tower*)
- Edson™ Elite Carbon Wheel with Power Knob (*Console*)
- Edson™ Elite Carbon Wheel with Power Knob on (*Tower*)
- Phender Pro™ with (4) Quick-Release Fender Cleats
- Gray Helm Pad with Black Regulator Logo
- Sandbar Helm Pad with Black Regulator Logo

### Shades & Canvas

- Forward Sun Shade (*Various Colors*)
- Rear Shade (*Black Only*)
- Helm, Console & Forward Settee Seating Canvas Covers (*Various Colors; without Half Tower*)
- Helm, Console & Forward Settee Seating Canvas Covers (*Various Colors; with Seat Cover for Half Tower*)
- Engine Canvas Covers (*Various Colors*)

Boat Manufactured By:  
**REGULATOR**

PO Box 49 • Edenton, NC 27932  
 (252) 482-3837  
[www.regulatormarine.com](http://www.regulatormarine.com)

## REGULATOR 30 XO

Length	30' 7"
Beam	10' 2"
Dry Weight (Boat Mfr. Pub)	8,300 lbs
Maximum HP	700 hp
Fuel Capacity	222 gal
Weight as Tested	11,786 lbs

## LF350USA2 / F350USA2

Horsepower	350 hp
Induction	EFI/VCT/DOHC
Displacement	4.3L
Weight (Estimated)	642 - 642 lbs
Gear Ratio	1.75:1

## ENGINE MOUNTING HEIGHT

Mounting Hole Position	#4
Ventilation Plate Height	2 3/4" Above Boat Bottom

## PROPELLER(S)

Series	Saltwater Series II
Diameter x Pitch	15 x 21
Yamaha Part #	6CF-45972-20-00 / 6CE-45972-20-00
Propeller Material	Stainless Steel

## TEST CONDITIONS

Number of People	3
Air / Water Temperature (Fahrenheit)	61° F / 67° F
Elevation (in feet above sea level)	0'
Wind Velocity	10-15 MPH

## COMMENTS

Test weight includes 100 gallons of fuel, 4 batteries, Dual Power Poles, Dome Radar, Entertainment Package Upgrade, safety and test equipment.

YPB#: PB\_REG\_30 XO\_TW\_LF350USA2\_04-19-2024\_OCC



**Engine:** Yamaha LF350USA2 / F350USA2

**Boat:** Regulator 30 XO

**Configuration:** Twin

**Test Date:** 19-Apr-2024



## PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	6.2	2.6	2.41
1500	8.4	4.4	1.92
2000	10.0	7.5	1.33
2500	14.6	11.9	1.22
3000	25.8	15.2	1.70
<b>3500</b>	<b>34.3</b>	<b>18.8</b>	<b>1.82</b>
4000	40.0	25.1	1.59
4500	45.2	30.4	1.49
5000	50.5	42.1	1.20
5500	56.6	54.3	1.04
<b>6000</b>	<b>62.7</b>	<b>61.1</b>	<b>1.03</b>
<b>0-20 MPH: 4.69 seconds</b>			
<b>0-30 MPH: 7.42 seconds</b>			

## NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain