

## 28 STANDARD EQUIPMENT\*



Rendering may show both  
Standards and Options

### Power Options

- Twin White Yamaha F300 4-Stroke Engines with DES Tilt Helm, DEC, and Electronic Key Switch with Wireless Key Fob
- All of the above, plus Helm Master™ EX Joystick with Multimode Set Point™

### T-Top, Helm & Electronics

- Fiberglass T-Top with Surfboard Edges, Electronics Box, Spreader Lights, and Multi-Colored LED Lights – Complete with Integrated, Vented, Wraparound Windshield and Windshield Wiper/Washer
- White Powder Coat Package
- Factory-Installed Garmin® 28 Premium Package: Two 16" GPSMAP® 8616XSV Multi-Touch Widescreen Chartplotter/Sonar Displays, VHF 215 AIS Radio with Dual 8' Antennas, Airmar® B275LHW with Wide Beam 1kW CHIRP Transducer, Plus Black Flushmount Electronics Face and Remote Mic
- Yamaha Next Generation Digital Boat Control System with Digital Electric Steering (DES) Tilt Helm, Multifunction Digital Electronic Control (DEC), Electronic Key Switches (EKS) with Wireless Fob, and CL5™ Multifunction Touchscreen Display
- Ritchie® SuperSport Compass
- Fusion® Apollo 770 Marine Stereo with AM/FM/WB, SiriusXM® Ready, Wi-Fi Audio Streaming, Apple AirPlay 2, Bluetooth®, Integrated DSP, and (4) Backlit Speakers throughout Deck & Cockpit
- EZ-View Flushmount Electronic Mounting Face with Access in Head Compartment
- Illuminated Glove Box with Fiberglass Lid
- Recessed Console Storage Trays
- Integrated Switch Panel with LED Push Button Switches
- USB Charging Ports

### Console Interior

- Triple Battery System with Switches and Marine Batteries
- Vented Port Light in Console
- Stand-Up Head Compartment with Electric Head, 6 gal. Holding Tank, Interior Lighting, Mirror, and Electric Tank Pumpout
- Vanity with Sink
- Chilewich Flooring in Console

### Deck & Cockpit

- 360° Coaming Pads
- Seakeeper Ride™ Auto Trim Tab System
- Pull-Up Bow Cleats
- Stainless Steel Hardware Through-Bolted with Elastic Stop Nuts
- Molded Non-Skid Horizontal Surfaces
- Engine Bracket with Ladder
- 256 qt. Forward Center Dry Storage Compartment
- Forward Deck Anchor Locker with Anchor Rode & Overboard Drain
- Stainless Steel Through-Hull Fittings
- Stainless Steel Scupper
- Transom Walkthrough Tuna Door
- USB Charging Ports (*FS Area*)
- Four (4) JL Audio® Backlit Speakers

### Seating

- Forward Seating with Flip-Up Backrests (2)
- Upholstered Forward Console Seating for Two
- 28 Tackle Center with Upholstered Helm Seating for Two with Individual Folding Footrests, (2) Cup Holders, and Seatback Rocket Launcher with Tackle Center & Storage, Including: Large Tackle Drawers (2 with and 2 without Dividers), (4) Large and (4) Small Plano® Trays, (2) Leader Spool Holders, and Pliers & Knife Holders
- 74 qt. Insulated Cooler Under Forward Console Seat
- Integrated Flush-Folding Transom Seat

### Fishing Equipment

- Raw Water Wash Down and Livewell Plumbing
- Insulated, Illuminated Forward Fishbox (2)
- In-Deck Illuminated, Macerated Fishbox/Locking Rod Storage
- 33 gal. Freshwater System with Wash Down and Transom Shower
- Insulated, Illuminated Transom Fishbox
- Insulated, Illuminated Transom Livewell
- (6) Stainless Steel Aft Gunwale Conventional Rod Holders



252.482.3837  
Edenton, North Carolina  
regulatormarine.com

\*Some standards may be upgraded based on the options you choose.

## SPECIFICATIONS

LOA.....	27' 8"
LOA w/ Bracket & Engines .....	32' 6"
Beam.....	9' 5"
Height in Head.....	76"
Bridge Height* .....	117"
Height from Keel* .....	141"
Dry Weight w/ Engines.....	9,480 lbs
Fuel Capacity.....	219 gal
Deadrise .....	24 Degrees
Draft .....	23" Engines Up
Draft .....	35" Engines Down
Center Forward Storage .....	256 qts
Fwd Seat Fishbox/ Dry Storage (2).....	169 qts ea
In-Deck Fishbox/ Locking Rod Storage .....	456 qts
Console Cooler Seat .....	74 qts
Head w/ Holding Tank.....	6 gal
Freshwater Tank.....	33 gal
Transom Livewell.....	25 gal
Transom Fishbox.....	124 qts

\* Measurement is to tallest  
available option (48" Radar Array)



252.482.3837  
Edenton, North Carolina  
regulatormarine.com

## 28 OPTIONAL EQUIPMENT

### Exterior Colors

- Featured or Custom Hull Color – Entire Hull or Sides Only
- Bracket with Matching Gelcoat Color
- Bracket with Synthetic Teak Marine Decking

### Power & Systems

- Yamaha EX Autopilot with Waypoint Deceleration (*Standard with Helm Master™ EX*)
- 36-Amp Battery Charger with 25' Cord

### T-Top & Tower

- T-Top Rocket Launcher
- GEMLUX® Deluxe Outrigger Bases with 18' Collapsible Poles and GEMLUX® Double Rigger Kit
- T-Top Underside to Match Hull Sides
- T-Top Underside Different Than Hull Sides
- T-Top Storage Compartment

### Seating & Upholstery

- Deluxe Tackle Center with 32 gal. Livewell\*\* (*Cannot be selected with Optional Additional Transom Livewell*)
- Dual-Height Pedestal Table with Filler Cushion and Table/Pedestal Storage
- Dove Gray Upholstery
- Sandbar Upholstery
- Diamond Quilted Upholstery

### Electronics

- Factory-Installed Garmin® GMR™ 424 xHD 4kW Open-Array Radar
- Factory-Installed Garmin® GMR™ 1224 xHD 12kW Open-Array Radar
- Factory-Installed Garmin® GMR™ Fantom 54 Open-Array Radar
- Factory-Installed Garmin® GXM™ 54 SiriusXM® Marine Weather Receiver Upgrade
- Factory-Installed Garmin® GT36UHD-TM Ultra High-Def ClearVü and SideVü Side Scan Transducer
- Entertainment Upgrade Package: Includes Fusion® Dynamically Calibrated System with (10) Premium Backlit Speakers, Subwoofer, Amps, External Antenna, and Integrated Wi-Fi

### Electronics (*Cont'd*)

- (2) Inductive Cell Phone Chargers: (1) at Helm, (1) Inside Console
- (2) Inductive Cell Phone Chargers in Recessed Console Trays
- Electric Anchor Light and Antenna Mounts
- Multi-Colored Underwater LED Lights (2)
- LED Light Bar

### Fishing Upgrades

- Refrigerated Transom Fishbox
- Additional 31 gal. Transom Livewell\*\* (*In Lieu of Standard Transom Fishbox; Cannot be selected with Deluxe Tackle Center with Livewell*)
- (6) Aft Gunwale Cup Holder Rod Holders (*Converted from Standard*)
- (8) Additional Forward Gunwale Conventional Rod Holders OR (8) Additional Forward Gunwale Cup Holder Rod Holders
- (2) Conventional Transom Rod Holders
- Quick-Release Under Gunwale Gaff Holder

### Comfort & Convenience

- Through Stem Bow Roller with Anchor Windlass, Freshwater Anchor Wash, Remote Switch, Chain, and Anchor
- Edson™ Wheel with Power Knob\*\*
- Cockpit Freshwater Engine Flush
- Phender Pro™ with (4) Quick-Release Fender Cleats
- Bucket Holder with (2) Buckets
- Hose Coil Racks (2) for Raw Water and Freshwater Wash Downs
- Removable Watersports Tow Bar
- Built-In 12V Watersports Inflation Station
- Gray Helm Pad with Black Regulator Logo
- Sandbar Helm Pad with Black Regulator Logo

### Shades & Canvas

- Automated Rear Shade in Natural White
- Automated Rear Shade in Color other than Standard Natural White (*Various*)
- Forward Sun Shade (*Various Colors*)
- All-Weather Spray Curtain Enclosure
- Helm, Console & Seating Canvas Covers (*Various Colors*)
- Engine Canvas Covers (*Various Colors*)

\*\*In Lieu of Standard

Boat Manufactured By:

## REGULATOR

PO Box 49 • Edenton, NC 27932  
(252) 482-3837

[www.regulatormarine.com](http://www.regulatormarine.com)

### REGULATOR 28CC

Length	27' 7"
Beam	9' 5"
Dry Weight (Boat Mfr. Pub)	8,500 lbs
Maximum HP	600 hp
Fuel Capacity	219 gal
Weight as Tested	11,098 lbs

### F300XCA / LF300XCA

Horsepower	300 hp
Induction	EFI/VCT/DOHC
Displacement	4.2L
Weight (Estimated)	562 lbs
Gear Ratio	1.75:1

### ENGINE MOUNTING HEIGHT

Mounting Hole Position	#1
Ventilation Plate Height	3-1/2" Above Boat Bottom

### PROPELLER(S)

Series	Saltwater Series II™
Diameter x Pitch	15 x 20
Yamaha Part #	6CE-45932-20-00 / 6CF-45932-20-00
Propeller Material	Polished Stainless Steel

### TEST CONDITIONS

Number of People	2
Air / Water Temperature (Fahrenheit)	88° F / 85° F
Elevation (in feet above sea level)	0'
Wind Velocity	5-10 MPH

### COMMENTS

Test weight includes 120 gallons of fuel, 3 batteries, safety and test equipment

**YPB#:** PB\_REG\_28CC\_TW\_F300XCA\_07-18-2019\_OCC



**Engine:** Yamaha F300XCA / LF300XCA

**Boat:** Regulator 28CC

**Configuration:** Twin

**Test Date:** 17-Jul-2019



### PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	6.0	2.7	2.20
1500	8.6	5.0	1.74
2000	9.5	8.3	1.15
2500	12.4	12.5	0.99
3000	17.5	16.5	1.06
<b>3500</b>	<b>31.4</b>	<b>20.6</b>	<b>1.52</b>
4000	38.0	26.3	1.44
4500	43.0	35.6	1.21
5000	48.9	46.4	1.05
5500	55.0	56.1	0.98
<b>5900</b>	<b>58.7</b>	<b>56.2</b>	<b>1.05</b>
<b>0-30 MPH: 9.14 seconds</b>			

#### NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.