REGULATOR

the offshore life



23

NEW FOR **2027**

23 STANDARD EQUIPMENT*



Rendering may show both Standards and Options

Power & Ride

- Twin White Yamaha F150 4-Stroke Engines with DEC, Integrated Electro-Hydraulic Steering with Tilt Helm, and Electronic Key Switch with Wireless Key Fob
- Seakeeper Ride™ Underway Stabilization System

T-Top, Helm & Electronics

- Fiberglass T-Top with Surfboard Edges, Spreader Lights, and Multi-Colored LED Lights – Complete with Integrated, Vented, Wraparound Windshield
- White Powder Coat Package
- Factory-Installed Garmin® 16 Fish Package: One 16" GPSMAP® 1643XSV Multi-Touch Widescreen Chartplotter/Sonar Display, VHF 215 Radio with Dual 8' Antennas, Garmin® GT12M-THF CHIRP Transducer, and Remote Mic
- Yamaha Multifunction Digital Electronic Controls (DEC), Integrated Electro-Hydraulic Steering, Electronic Key Switches (EKS) with Wireless Fob, and WiFi-Enabled CL5™ Multifunction Touchscreen Display
- Ritchie® Compass
- Fusion® Apollo 670 Marine Stereo with AM/FM/WB, direct access to SiriusXM® Radio (requires subscription), Apple AirPlay, Bluetooth®, Integrated DSP, and (4) Backlit Speakers throughout Deck & Cockpit
- EZ-View Flushmount Electronic Mounting Face with Access in Head Compartment
- Illuminated Glove Box with Lid
- Switch Panel with LED Push Button Switches
- Stainless Steel Steering Wheel
- USB Charging Ports at Helm and in Forward Seating Area

Console Interior

- Dual Battery System with Switches and Marine Batteries
- Vented Port Light in Console
- Stand-Up Head Compartment with Portable Marine Toilet

Deck & Cockpit

- Forward Deck Anchor Locker with Overboard Drain
- Self-Bailing Cockpit with Stainless Steel Scuppers
- Stainless Steel Through-Hull Fittings
- Oversized Bilge Compartment with Guttered, Watertight Lazarette Hatch for easy access to Gel-Finished Bilge and Equipment
- 20 gal. Freshwater System with Wash Down and Transom Shower
- Cockpit Freshwater Engine Flush – now with Flushmaster Quick Connect!
- Stainless Steel Hose Coil Racks (2) for Raw Water and Freshwater Wash Downs
- Molded Non-Skid Horizontal Surfaces
- 360° Coaming Pads
- Stainless Steel Hardware Through-Bolted with Elastic Stop Nuts
- (2) Pull-Up Bow Cleats, (2) Spring Cleats/Hawse Pipes Midship, (2) Stern Cleats/Hawse Pipes in Transom
- Transom Walkthrough Tuna Door
- Engine Bracket with Integrated Boarding Ladder

Seating

- Signature Series Tackle Center/Leaning Post with Seatback Rocket Launcher, Handrail, (3) Cup Holders, and Tackle Storage, Including (8) Plano® Trays Below Seating
- Upholstered Forward Console Seating for Two with Built-In Insulated Cooler
- Integrated Flush-Folding Transom Seat

Fishing Equipment

- Raw Water Wash Down and Livewell Plumbing
- Dual Forward Seat Fishboxes/Dry Storage – Insulated and Illuminated with Overboard Drains
- Forward In-Deck Fishbox – Insulated, Illuminated, and Macerated with Locking Rod Storage (Holds 6 Rods)
- Transom Livewell/Fishbox – Insulated, Illuminated
- (6) Stainless Steel Aft Gunwale Conventional Rod Holders

REGULATOR
the offshore life

252.482.3837
Edenton, North Carolina
regulatormarine.com

* Some standards may be upgraded based on the options you choose. Model year specifications and pricing are subject to change at any time and may vary from those shown.

SPECIFICATIONS

LOA	23′ 5″
LOA w/ Bracket & Engines	27′ 6″
Beam	8′ 6″
Height in Head	71″
Bridge Height*	104″
Height from Keel*	127″
Dry Weight w/ Engines	7,120 lbs
Fuel Capacity	149 gal
Deadrise	24 Degrees
Draft	21″ Engines Up
Draft	33″ Engines Down
Fwd Seat Fishbox/ Dry Storage (2)	240 qts ea
In-Deck Fishbox/Locking Rod Storage	350 qts
Console Cooler Seat	69 qts
Optional Head w/ Holding Tank	9 gal
Freshwater Tank	20 gal
Transom Livewell/Fishbox	46 gal

** Measurement is to tallest available standard/option, Electric Antenna Mount (Option)*

REGULATOR
the offshore life

252.482.3837
Edenton, North Carolina
regulatormarine.com

23 OPTIONAL EQUIPMENT

Exterior Colors
- Featured or Custom Hull Color – Entire Hull or Sides Only
- Bracket with Matching Gelcoat Color
- Bracket with Synthetic Teak Marine Decking
- Black Powder Coat Package – includes T-Top Frame, Seatback Rails & Rocket Launcher, Helm & Forward Seating Integrated Handrails – Plus T-Top Rocket Launchers when optioned

Power & Systems
- 20-Amp Battery Charger with 25′ Cord

T-Top & Tower
- T-Top Rocket Launcher
- GEMLUX® Deluxe Outrigger Bases with 18′ Collapsible Poles and GEMLUX® Double Rigger Kit
- T-Top Underside to Match Hull Sides
- T-Top Underside Different Than Hull Sides

Seating & Upholstery
- 2X Deluxe Tackle Center: Upholstered Helm Seating for Two with Flip-Up Bolster and Individual Folding Footrests with SoftGrip Foot Rail; Seatback Rocket Launcher with Cup Holders; (2) Tackle Drawers; (8) Medium and (2) Large Plano® Trays in Cabinet; and Knife/Hook/Cup Holders
- Fiberglass Sunbed with Filler Cushion and Convertible Pedestal Table
- Removable Forward Seating Backrests (2)
- Dove Gray Upholstery
- Sandbar Upholstery
- Coastal Cobia Upholstery
- Diamond-Quilted Upholstery

Electronics
- Factory-Installed Garmin® GXM™ 54 SiriusXM® Marine Weather Receiver Upgrade
- Factory-Installed Garmin® GT36UHD-TM Ultra High-Def ClearVü and SideVü Side Scan Transducer
- Electric Anchor Light and Antenna Mounts
- Center Forward LED Light Bar on T-Top

Fishing Upgrades
- (6) Aft Gunwale Cup Holder Rod Holders *(Converted from Standard)*
- (6) Additional Forward Gunwale Conventional Rod Holders OR (6) Additional Forward Gunwale Cup Holder Rod Holders

Comfort & Convenience
- Through Stem Bow Roller with Anchor Windlass, Freshwater Anchor Wash, Remote Switch, 125′ Chain, and Anchor
- Edson™ Wheel with Power Knob
- Phender Pro™ with (4) Quick-Release Fender Cleats
- Bucket Holder with (2) Buckets
- Stand-Up Head Compartment with Head with Holding Tank, Interior Lighting, Mirror, and Overboard Discharge
- Gray Helm Pad with Black Regulator Logo
- Sandbar Helm Pad with Black Regulator Logo

Shades & Canvas
- Forward Sun Shade *(Various Colors)*
- All-Weather Spray Curtain Enclosure
- Helm, Console & Seating Canvas Covers *(Various Colors)*
- Engine Canvas Covers *(Various Colors)*

**In Lieu of Standard

PERFORMANCE BULLETIN

Boat Manufactured By:

REGULATOR

PO Box 49 • Edenton, NC 27932

(252) 482-3837

www.regulatormarine.com



REGULATOR 23CC

Length	23' 5"
Beam	8' 6"
Dry Weight (Boat Mfr. Pub)	5,950 lbs
Maximum HP	300 hp
Fuel Capacity	149 gal
Weight as Tested	8,104 lbs

F150XCA / LF150XCA

Horsepower	150 hp
Induction	EFI/VCT/DOHC
Displacement	2.8L
Weight (Estimated)	487 lbs
Gear Ratio	2.00:1

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#1
Ventilation Plate Height	3-3/8" Above Boat Bottom

PROPELLER(S)

Series	Reliance® Series
Diameter x Pitch	14-1/4 x 18
Yamaha Part #	68F-45978-20-00 / 68G-45978-20-00
Propeller Material	Polished Stainless Steel

TEST CONDITIONS

Number of People	2
Air / Water Temperature (Fahrenheit)	88° F / 85° F
Elevation (in feet above sea level)	0'
Wind Velocity	5-10 MPH

COMMENTS

Test weight includes 100 gallons of fuel, 2 batteries, safety and test equipment

YPB#: PB_REG_23CC_TW_F150XCA_07-20-2019_OCC

Engine: *Yamaha F150XCA / LF150XCA*

Boat: *Regulator 23CC*

Configuration: *Twin*

Test Date: *19-Jul-2019*



PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	5.2	1.7	3.15
1500	6.9	2.5	2.76
2000	8.5	4.7	1.83
2500	9.3	6.8	1.37
3000	10.9	10.5	1.04
3500	17.9	12.7	1.41
4000	**28.9**	**13.8**	**2.09**
4500	34.5	17.3	1.99
5000	39.2	21.0	1.86
5500	43.6	26.3	1.66
5900	**46.8**	**30.2**	**1.55**

0-30 MPH: 10.53 seconds

NOTICE TO CONSUMER
The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.



NEW FOR
2027

68 NEW FEATURES ONE UNBEATABLE RIDE

Next-Gen Regulator 31
New T-Top with Custom Vent and 11 Aft Rocket Launchers, E-Hub Lithium Battery System

Glass-Touch Control Panel Helm
The cleanest dash we've ever produced

Heated Helm Seats
Cool mornings just warmed up

Quick-Connect Engine Flush
Flushing your engines is fast and easy

Additional Upholstery Colors
More options than ever

There's never been a better time to get on board a new Regulator. Standout standards including Seakeeper Ride continue to dominate, with award-winning features raising the bar.

Tour and trial the latest today.

*Standards & Options vary by model

SEAKEEPER RIDE IS NOW STANDARD!

Regulator's unbeatable ride and Seakeeper Ride's cutting-edge stabilization go hand in hand.

Designed for high-speed performance and real-time motion correction, Seakeeper Ride is a transom-mounted Vessel Attitude Control System™ (VACS) that offers complete underway stabilization, correcting motion before you even feel it — and eliminating pitch, roll, and yaw. Plus, it's fully automatic: no controls to adjust, no input required. **Just turn it on and enjoy the ride.**

WHY DO WE OFFER IT **STANDARD?**

Because we want to ensure factory-installed excellence and a turnkey experience that gets you out on the water the moment you make it yours.

SEAKEEPER RIDE



REGULATOR MODEL	SEAKEEPER RIDE SYSTEM
37	750 Quad
35	750 Quad
31	600
28	525
25	450
23	450
30xo	525
26xo	450
24xo	450

REGULATOR OFFSHORE

41





LOA: 41’ 3”
LOA w/ Bracket & Engines: 46’ 10”
Beam: 12’ 6”
Fuel Capacity: 600 gal

Dry Weight w/ Engines: 23,500 lbs
Draft: 29” Engines Up
Fishbox & Storage Cap: 1,784 qts
Transom Livewells (2): 40 gal ea

37





LOA: 37’ 7”
LOA w/ Bracket & Engines: 43’ 5”
Beam: 12’ 7”
Std. Fuel Capacity: 507 gal

Dry Weight w/ Engines: 19,300 lbs
Draft: 34” Engines Up
Fishbox & Storage Cap: 1,899 qts
Transom Livewells (2): 33 gal ea

35





LOA: 35’ 1”
LOA w/ Bracket & Engines: 40’ 8”
Beam: 11’ 9”
Std. Fuel Capacity: 405 gal

Dry Weight w/ Engines: 16,500 lbs
Draft: 27” Engines Up
Fishbox & Storage Cap: 1,322 qts
Center Transom Livewell: 43 gal

31





LOA: 31’ 4”
LOA w/ Bracket & Engines: 36’ 5”
Beam: 10’ 4”
Fuel Capacity: 300 gal

Dry Weight w/ Engines: 11,140 lbs
Draft: 26.5” Engines Up
Fishbox & Storage Cap: 1,452 qts
Starboard Transom Livewell: 36 gal

28





LOA: 27’ 8”
LOA w/ Bracket & Engines: 32’ 6”
Beam: 9’ 5”
Fuel Capacity: 219 gal

Dry Weight w/ Engines: 9,480 lbs
Draft: 23” Engines Up
Fishbox & Storage Cap: 1,248 qts
Starboard Transom Livewell: 25 gal

25





LOA: 25’ 2”
LOA w/ Bracket & Engines: 30’ 0”
Beam: 8’ 10”
Fuel Capacity: 160 gal

Dry Weight w/ Engines: 8,330 lbs
Draft: 22” Engines Up
Fishbox & Storage Cap: 1,050 qts
Transom Livewell/Fishbox: 46 gal

23





LOA: 23’ 5”
LOA w/ Bracket & Engines: 27’ 6”
Beam: 8’ 6”
Fuel Capacity: 149 gal

Dry Weight w/ Engines: 7,120 lbs
Draft: 21” Engines Up
Fishbox & Storage Cap: 899 qts
Transom Livewell/Fishbox: 46 gal

Every one of our offshore center console boats features 24 degrees of deadrise. That’s why only a Regulator crushes offshore chop and delivers smoother, drier, more controlled rides in every condition — with a custom-engineered stringer system that makes the entire boat feel unshakable.

Ride it once, feel the difference forever.

REGULATOR XO HYBRID



30XO





LOA: 30’ 7”
Beam: 10’ 2”
Dry Weight w/ Engines: 9,525 lbs
Fuel Capacity: 222 gal
Deadrise: 15 degrees

Draft: 21” Engines Up
35” Engines Down
Center Fwd Storage: 187 qts
Fwd Seat Fishbox/
Dry Storage (2): 216 qts ea

In-Deck, Macerated
Fishbox: 294 qts
Console Settee: 218 qts
Aft Platform Storage (2): 116 qts ea
Aft Starboard Livewell: 29 gal

26XO





LOA: 26’ 9”
Beam: 9’ 3”
Dry Weight w/ Engine: 7,270 lbs
Fuel Capacity: 107 gal
Deadrise: 17 degrees

Draft: 20.5” Engine Up
30” Engine Down
Center Fwd Storage: 216 qts
Fwd Seat Fishbox/ Dry
Storage w/ Locking Rod
Storage (2): 292 qts ea

In-Deck, Macerated
Fishbox: 280 qts
Console Cooler Seat: 56 qts
Aft Platform Storage (2): 256 qts ea
Tackle Center Livewell: 32 gal

24XO





LOA: 24’ 4”
Beam: 8’ 5”
Dry Weight w/ Engine: 5,250 lbs
Fuel Capacity: 86 gal
Deadrise: 17 degrees

Draft: 16” Engine Up
25.5” Engine Down
Fwd Seat Fishbox/ Dry
Storage w/ Locking Rod
Storage (2): 190 qts ea

In-Deck, Macerated
Fishbox: 189 qts
Console Cooler Seat: 51 qts
Aft Platform Storage: 102 qts
Aft Starboard Livewell: 25.5 gal



Regulator’s XO Series of hybrid center console boats is designed to go anywhere and do everything — giving you easy access to lakes, bays and skinny waters, plus the capability to head offshore when the time is right.

THE RESULTS ARE IN!
OUR REGULATOR OWNERS' SURVEY



TOP 3 WAYS
OWNERS SPEND
TIME ON THE WATER

1 FISHING
2 CRUISING
3 FAMILY FUN

97%
OF REGULATOR OWNERS
GO UP TO 100 MILES OFFSHORE ON A REGULAR BASIS

LESS THAN 1%
WARRANTY & RESALE VALUE
THAT IS SECOND-TO-NONE

THE BOAT EVERYONE ELSE IS TRYING TO BE THERE IS NO SUBSTITUTE

— Tom C., Regulator Owner

4 OUT OF 5
REGULATOR OWNERS
GIVE THEIR BOAT
5-STAR DEPENDABILITY

★★★★★


BUILD
YOURS
TODAY
REGULATOR
REGULATOR
252.482.3837 | Edenton, NC
regulatormarine.com | @regulatormarine
#offshorelife
REGULATOR
the offshore life