

35 STANDARD EQUIPMENT*



Rendering may show both
Standards and Options



252.482.3837
Edenton, North Carolina
regulatormarine.com

Power & Ride Control

- Triple White Yamaha Offshore F350 4-Stroke Engines with DES Tilt Helm, DEC, EX Autopilot with Waypoint Deceleration, and Electronic Key Switch with Wireless Fob
- Helm Master™ EX Joystick with Multimode Set Point™
- Seakeeper Ride™ 750 Ride Control System

Systems

- Illuminated Machine Room beneath Mezzanine Seat with Watertight Bulkhead, Optional Gyro, and Easy Access to Breaker Panel, Fuel and Water Tanks, and Battery Systems
- E-Hub Lithium House Battery System – Includes (3) 300-Amp/Hour, Silent-Running Batteries with Charger, seamlessly managed via Regulator MyHelm™
- Isolated Engine Start Batteries w/ 40-Amp Battery Charger
- 30-Amp 50' Shore Power Cord

T-Top, Helm & Electronics

- Fiberglass T-Top with Surfboard Edges, Integrated Wraparound Windshield and Windshield Wiper/Washer, new T-Top Drainage Gutters/ Handrail and 11 Rocket Launchers built into Aft Support Frame – Complete with Electronics Box, Integrated Navigation/Dock Lighting, Spreader Lights, and Multi-Colored LED Lights
- Custom T-Top Ventilation System with (2) Directional Vents at Radio Box and (1) Large Center Vent for Maximum Air Distribution and Mist Elimination
- White Powder Coat Package
- Factory-Installed Garmin® Offshore 35 Package: Two 22" GPSMAP® 9222XSV Multi-Touch Widescreen Chartplotter/Sonar Displays, Flush-Mounted in Custom Bezel and Angled for Optimum Visibility and Glare Reduction; VHF 215 AIS Radio with Remote Mic and Dual 8' Antennas for VHF/AM/FM; GMR™ 424 xHD 4kW Open-Array Radar; Airmar® B275LHW with Wide Beam 1kW CHIRP Transducer; and Yamaha EX Autopilot – Plus Black Flushmount Electronics Faces
- Offshore Command Center: Garmin® Multi-Function Displays with Digital Switching and Monitoring, Proprietary Regulator MyHelm™ Interface for Seamless and Intuitive Connectivity of Key Functions via Touchscreen, and Dedicated MyHelm™ Key Fob for Main Power and Lighting Circuits
- Integrated Switch Panels with LED Push Button Switches
- Ritchie® SuperSport Compass

T-Top, Helm & Electronics (Cont'd)

- Yamaha Next Generation Digital Boat Control System with Helm Master™ EX, Digital Electric Steering (DES) Tilt Helm, Multifunction Digital Electronic Control (DEC), EX Autopilot with Waypoint Deceleration, Electronic Key Switches (EKS) with Wireless Fob, and CL5™ Multifunction Touchscreen Display
- Fusion® Apollo 770 Marine Stereo with AM/FM/WB, SiriusXM® Ready, Wi-Fi Audio Streaming, Apple AirPlay 2, Bluetooth®, Integrated DSP, and (4) Backlit Speakers throughout Deck and Cockpit
- Siren 3 Pro "Connected Boat" Alert and Access System
- Dual Illuminated Glove Boxes with Fiberglass Lids
- Recessed Upholstered Console Storage Trays with Black or Egyptian Sand Dash Brow and extended Brow beneath Garmin® Screens
- Stainless Steering Wheel with Knob
- USB Charging Ports

Console Interior/Cabin

- Entry via Flush Integrated Port Side Door with Friction Hinges
- Sleeping Accommodations for Two with Flip-Down Berth Extension and Reading Lights
- Stand-Up Electric Head with Solid Surface Countertop and Sink – Plus (3) Large Storage Compartments and Mirrors
- 12 gal. Holding Tank and Overboard Discharge for Electric Head
- In-Floor Cabin Dry Storage Box
- Rod Storage for up to (12) Rods throughout Cabin and within In-Floor Cabin Dry Storage Box
- Integrated, Ventilated Console Step Storage Box (*for Optional A/C or Dry Storage*)
- Sump Box and Overboard Discharge (for Sink, Optional A/C, and Arid Dry Bilge Pump)
- Vented Port Light in Console
- Overhead LED Lights with Courtesy LED Lights on Steps and Floor Level
- Wood-Grain Laminate Flooring
- Custom Regulator 35 Sunbrella® Interior Curtains, Accent Pillows, and Super Soft, Weather-Resistant Throw for Console Interior
- Sunbrella® Fabric Accents on Interior Walls
- CO Detector
- Bilge High-Water Alarm

*Some standards may be upgraded based on the options you choose.

SPECIFICATIONS

LOA.....	35' 1"
LOA w/ Bracket & Engines	40' 8"
Beam.....	11' 9"
Height in Console Interior.....	6' 4"
Bridge Height*	123"
Height from Keel*	154"
Dry Weight w/ Engines.. ..	16,500 lbs
Fuel Capacity.....	405 gal
Deadrise	24 Degrees
Draft.....	27" Engines Up
Draft.....	40" Engines Down
Center Fwd Insulated In-Deck Fishbox.....	210 qts
Fwd Seat Fishbox/ Dry Storage (2)	211 qts ea
Forward Settee Cooler.....	121 qts
In-Floor Cabin Dry Storage Box	220 qts
Head w/ Holding Tank.....	12 gal
Freshwater Tank.....	36 gal
Aft In-Deck Fishbox (2).....	161 qts ea
Center Transom Livewell	43 gal

* Measurement is to tallest
available option (Open-Array Radar)



252.482.3837
Edenton, North Carolina
regulatormarine.com

35 STANDARD EQUIPMENT*

Deck & Cockpit

- Forward Deck Anchor Locker with Freshwater Wash Down and Overboard Drain – directly accessible via Split Forward Seating
- Full Walkthrough Forward to Anchor Locker
- Raised Bullnose Toe Rail on Extra-Wide Forward Gunwale
- Flush-Mounted Fiberglass Table with Electric Pedestal
- NEW Self-Bailing Cockpit System with Transom-Mounted, Stainless Steel Scuppers with Drip-Edge, and In-Deck Stainless Grate, Removable for Easy Cleaning
- Starboard Boarding and Dive Door with Removable Folding Ladder and Ladder Storage in Bilge Compartment
- Oversized Bilge Compartment with Guttered, Watertight Lazarette Hatch for easy access to Gel-Finished Bilge and Equipment – with Raised Floor to Deliver a Flat, Dry Platform for Maintenance and Gear Storage
- Engine Bracket with Integrated Telescoping Ladder
- 36 gal. Freshwater System with (2) Wash Downs: (1) in Anchor Locker, (1) near Helm; Plus Freshwater Sink and Toilet in Console Interior and Freshwater Shower on Aft Deck
- Molded, Non-Skid Horizontal Surfaces
- 360° Coaming Pads
- Stainless Steel Hardware Through-Bolted with Elastic Stop Nuts
- (2) Pull-Up Bow Cleats, (2) Spring Cleats/Hawse Rings, and (2) Stern Cleats/Hawse Rings
- Four (4) JL Audio® Backlit Speakers

Seating


- Split Forward Seating with Center Walkthrough and Forward Port & Starboard Seating, with Magnetic Cushions and Illuminated Storage beneath
- Flushmount Flip-Up Backrests integrated into Forward Seats (1 Port, 1 Starboard)
- Upholstered Forward Console Settee for Two with Reclined Seat Pitch, (6) Rod Holders, (2) Cup Holders, Handrail, and Insulated, Illuminated Cooler below Settee
- E-Series Deluxe Helm & Mezzanine Seating features Raised Helm Deck, Triple Helm Seating with Power Slide Center Seat, Armrests, Flip-Up Bolsters, and (3) Individual Folding Footrests with SoftGrip Foot Rail – Plus Mezzanine Seat for Two with Built-In Armrests, (2) Cup Holder Rod Holders, Tackle Storage, Trash Bin, (11) Rocket Launchers built into Aft Support Frame, and Machine Room Access below Mezzanine Seat
- Dual Integrated Flush-Folding Transom Seats Port & Starboard

Fishing Equipment

- Oval Pressurized Center Transom Livewell with High-Volume Livewell Pump – Illuminated and Finished in Bait-Calming Blue with Regulator-Branded, Clear Acrylic Lid
- Port Transom Bait Prep Station with Integrated Stainless Steel Bait Tray, Raw Water Sink, and Overboard Drains
- Starboard Transom Bait Prep Station with (2) Cutting Boards, Bait Prep Sink with Saltwater Wash Down, and Overboard Drain
- NEW Raw Water Sea Chest – Self-Cleaning, Self-Flushing & Macerated
- Raw Water Aft-Deck Wash Down
- Dual Aft In-Deck Fishboxes – Insulated, Illuminated, and Macerated
- Forward In-Deck Fishbox – Insulated, Illuminated, and Macerated
- Dual Forward Seat Fishboxes/Dry Storage – Illuminated, with Overboard Drains
- (6) Stainless Steel Aft Gunwale Conventional Rod Holders
- (6) Stainless Steel Conventional Rod Holders integrated into Forward Settee

*Some standards may be upgraded based on the options you choose.

35 OPTIONAL EQUIPMENT



Rendering may show both
Standards and Options



252.482.3837
Edenton, North Carolina
regulatormarine.com

Exterior Colors

- Featured or Custom Hull Color – Entire Hull or Sides Only
- Bracket with Matching Gelcoat Color
- Bracket with Synthetic Teak Marine Decking
- Black Powder Coat Package

Power & Systems

- Gyro Stabilization System
- Gyro Stabilization System READY (for Future Installation)
- Marine-Grade 110V 8kBTU HVAC Conditioning System with Reverse-Cycle Heat, (4) Helm Vents, Interior Cabin Vent, and Inverter
- Arid Dry Bilge Systems Series 2 (12V, Dual-Zone with Watertight Bulkhead in Pump Room)

T-Top

- NEW TACO Grand Slam 300 Single-Handle Outrigger Bases with 22' Carbon Fiber Poles (Internally Rigged and Collapsible), Plus Double Rigger Kit
- T-Top Underside to Match Hull Sides
- T-Top Underside Different Than Hull Sides
- T-Top Storage Compartment

Seating & Upholstery

- Flush-Folding Center Forward Seat with Magnetic Cushion at Bow
- Fiberglass Sun Bed with Magnetic Filler Cushion (Converted from Standard Electric Table; Requires Flush-Folding Forward Center Seat)
- Dove Gray Upholstery
- Sandbar Upholstery
- Diamond Quilted Upholstery
- Teak Ladder-Back Helm Chairs, Helm Armrests, and Forward Settee Armrests
- Teak Helm Pod

Electronics

- Additional T-Top Garmin® 12" GPSMAP® 1243XSV Touchscreen Chartplotter
- Factory-Installed Garmin® GMR™ 1224 xHD 12kW Open-Array Radar**
- Factory-Installed Garmin® GMR™ Phantom 54 Open-Array Radar**
- Factory-Installed Garmin® GXM™ 54 SiriusXM® Marine Weather Receiver Upgrade
- Factory-Installed Garmin® GT36UHD-TM Ultra High-Def ClearVü and SideVü Side Scan Transducer (Requires Additional T-Top Garmin® 12" GPSMAP® 1243XSV Touchscreen Chartplotter)
- Factory-Installed Garmin® Panoptix™ PS70 Transducer**
- Second VHF 215 AIS Radio
- Entertainment Upgrade Package: Includes Fusion® Dynamically Calibrated System with (10) Premium Backlit Speakers, Subwoofer, Amps, and Integrated Wi-Fi
- (3) Inductive Cell Phone Chargers: (1) at Helm, (2) in Dash Brow Storage Trays
- (2) Inductive Cell Phone Chargers in Console Interior
- (2) Inductive Cell Phone Charger Cubbies at Bow Seating
- Electric Anchor Light and Antenna Mounts**
- Sionyx Nightwave Marine Night Vision Camera
- Multi-Colored Underwater LED Lights (2)
- Forward Center LED Light Bar on T-Top
- Port and Starboard LED Light Bars on T-Top

**In Lieu of Standard

SPECIFICATIONS

LOA.....	35' 1"
LOA w/ Bracket & Engines	40' 8"
Beam.....	11' 9"
Height in Console Interior.....	6' 4"
Bridge Height*	123"
Height from Keel*	154"
Dry Weight w/ Engines.. ..	16,500 lbs
Fuel Capacity.....	405 gal
Deadrise	24 Degrees
Draft.....	27" Engines Up
Draft.....	40" Engines Down
Center Fwd Insulated In-Deck Fishbox.....	210 qts
Fwd Seat Fishbox/ Dry Storage (2)	211 qts ea
Forward Settee Cooler.....	121 qts
In-Floor Cabin Dry Storage Box	220 qts
Head w/ Holding Tank.....	12 gal
Freshwater Tank.....	36 gal
Aft In-Deck Fishbox (2).....	161 qts ea
Center Transom Livewell	43 gal

* Measurement is to tallest
available option (Open-Array Radar)



252.482.3837
Edenton, North Carolina
regulatormarine.com

35 OPTIONAL EQUIPMENT

(Cont'd)

Fishing Upgrades

- Refrigerated Port Aft In-Deck Fishbox
- Refrigerated Starboard Aft In-Deck Fishbox
- Refrigerated Forward Settee Cooler
- Clear Acrylic Livewell Window (*on Front of Livewell Face*)
- (5) Additional Stainless Steel/Poly Bait Trays with Integrated Storage in Port Aft In-Deck Fishbox
- (6) Aft Gunwale Cup Holder Rod Holders (*Converted from Standard*)
- (14) Additional Forward Gunwale Conventional Rod Holders OR (14) Additional Forward Gunwale Cup Holder Rod Holders
- (4) Conventional Transom Rod Holders OR (4) Transom Burnewiin Gunwale Mounts (*If either selected, one standard Starboard Cutting Board is removed at Transom Bait Prep Station*)
- (2) Downrigger Bases for Burnewiin Mounts (*Requires Burnewiin Gunwale Mounts*)
- (2) Burnewiin Rod Holders for Burnewiin Mounts (*Requires Burnewiin Gunwale Mounts*)
- (4) Burnewiin Stainless Rod Holders for Burnewiin Mounts (*Requires Burnewiin Gunwale Mounts*)
- Burnewiin Cutting Board with Fillet Knife for Burnewiin Mounts (*Requires Burnewiin Gunwale Mounts*)
- Magma Grill and Grill Mount for Burnewiin Mounts (*Requires Burnewiin Gunwale Mounts*)
- (2) Electric Reel Hook-Ups
- Under Gunwale Rod/Brush Storage
- Quick-Release Under Gunwale Gaff Holder

Comfort & Convenience

- Through Stem Bow Roller with Anchor Windlass in Forward-Deck Anchor Locker, Freshwater Anchor Wash, Bow and Helm Controls, Rode with Galvanized Chain, Anchor, Freshwater Wash Down and Overboard Drain
- Edson™ Elite Carbon Wheel with Power Knob**
- Cockpit Freshwater Engine Flush
- Phender Pro™ with (4) Quick-Release Fender Cleats
- Bucket Holder with (2) Buckets in Bilge Compartment
- Hose Coil Racks (2) for Raw Water and Freshwater Wash Downs
- Built-In 12V Watersports Inflation Station
- Gray Helm Pad with Black Regulator Logo and Matching 35-Branded Footrest Pads
- Sandbar Helm Pad with Black Regulator Logo and Matching 35-Branded Footrest Pads
- Digital, Password-Protected Cabin Safe

Shades & Canvas

- Rear Shade with T-Top Mounted Shade Poles (*Black Only*)
- Forward Sun Shade (*Various Colors*)
- All-Weather Spray Curtain Enclosure
- Helm, Console, Forward Settee, and Mezz Seating Canvas Covers (*Various Colors*)
- Engine Canvas Covers (*Various Colors*)

**In Lieu of Standard