

## 28 STANDARD EQUIPMENT\*



Rendering may show both  
Standards and Options



252.482.3837  
Edenton, North Carolina  
regulatormarine.com

### Power & Ride

- Twin White Yamaha F350 4-Stroke Engines with DES Tilt Helm, DEC, and Electronic Key Switch with Wireless Key Fob
- Seakeeper Ride™ Underway Stabilization System

### T-Top, Helm & Electronics

- Fiberglass T-Top with Surfboard Edges, Integrated Wraparound Windshield and Windshield Wiper/Washer, new T-Top Drainage Gutters/ Handrail – Complete with Electronics Box, Integrated Navigation/Dock Lighting, Spreader Lights, and Multi-Colored LED Lights
- Custom T-Top Ventilation System with (2) Directional Vents at Radio Box and (1) Large Center Vent for Maximum Air Distribution and Mist Elimination
- White Powder Coat Package
- Factory-Installed Garmin® 28 Premium Package: Two 17" GPSMAP® 9217XSV Multi-Touch Widescreen Chartplotter/ Sonar Displays, VHF 215 AIS Radio with Dual 8' Antennas, Airmar® B275LHW with Wide Beam 1kW CHIRP Transducer, Plus Black Flushmount Electronics Face and Remote Mic
- Integrated Switch Panel with LED Push Button Switches
- Ritchie® SuperSport Compass
- Yamaha Next Generation Digital Boat Control System with Digital Electric Steering (DES) Tilt Helm, Multifunction Digital Electronic Control (DEC), Electronic Key Switches (EKS) with Wireless Fob, and WiFi-Enabled CL5™ Multifunction Touchscreen Display
- Fusion® Apollo 770 Marine Stereo with AM/FM/WB, Wi-Fi Audio Streaming, direct access to SiriusXM® Radio (requires subscription), Apple AirPlay, Bluetooth®, Integrated DSP, and (4) Backlit Speakers throughout Deck & Cockpit
- EZ-View Flushmount Electronic Mounting Face with Access in Head Compartment
- Illuminated Glove Box with Fiberglass Lid
- Recessed Console Storage Trays
- Stainless Steel Steering Wheel
- USB Charging Ports at Helm and in Forward Seating Area

### Console Interior

- Triple Battery System with Switches and Marine Batteries
- Vented Port Light in Console
- Stand-Up Head Compartment with Electric Head, 6 gal. Holding Tank, Interior Lighting, Mirror, and Overboard Discharge
- Vanity with Sink
- Chilewich Flooring in Console

### Deck & Cockpit

- Forward Deck Anchor Locker with Overboard Drain
- Raised Bullnose Toe Rail on Extra-Wide Forward Gunwale
- Self-Bailing Cockpit with Stainless Steel Scuppers
- Stainless Steel Through-Hull Fittings
- Oversized Bilge Compartment with Guttered, Watertight Lazarette Hatch for easy access to Gel-Finished Bilge & Equipment
- 33 gal. Freshwater System with Wash Down and Transom Shower
- Cockpit Freshwater Engine Flush – now with Flushmaster Quick Connect!
- Stainless Steel Hose Coil Racks (2) for Raw Water and Freshwater Wash Downs
- Molded Non-Skid Horizontal Surfaces
- 360° Coaming Pads
- Stainless Steel Hardware Through-Bolted with Elastic Stop Nuts
- (2) Pull-Up Bow Cleats, (2) Spring Cleats/Hawse Pipes Midship, (2) Stern Cleats/Hawse Pipes in Transom
- Transom Walkthrough Tuna Door
- Engine Bracket with Integrated Boarding Ladder

### Seating

- 28 Tackle Center with Upholstered Helm Seating for Two with Individual Folding Footrests, (2) Cup Holders, and Seatback Rocket Launcher with Tackle Center & Storage, Including: Large Tackle Drawers (2 with and 2 without Dividers), (4) Large and (4) Small Plano® Trays, (2) Leader Spool Holders, and Pliers & Knife Holders
- Forward Seating with Magnetic Cushions, Flushmount Flip-Up Backrests Integrated into Forward Seats (2), and Center Seat Dry Storage – Insulated, Illuminated
- Upholstered Forward Console Seating for Two with Built-In Insulated Cooler
- Integrated Flush-Folding Transom Seat

### Fishing Equipment

- Raw Water Wash Down and Livewell Plumbing
- Dual Forward Seat Fishboxes/Dry Storage – Insulated and Illuminated with Overboard Drains, and Center Forward Dry Storage Tub – Insulated and Illuminated
- Forward In-Deck Fishbox – Insulated, Illuminated, and Macerated with Locking Rod Storage (Holds 6 Rods)
- Transom Fishbox – Insulated, Illuminated
- Transom Livewell – Insulated, Illuminated
- (6) Stainless Steel Aft Gunwale Conventional Rod Holders

\*Some standards may be upgraded based on the options you choose. Model year specifications and pricing are subject to change at any time and may vary from those shown.

## SPECIFICATIONS

LOA.....	27' 8"
LOA w/ Bracket & Engines .....	32' 6"
Beam.....	9' 5"
Height in Head.....	76"
Bridge Height* .....	117"
Height from Keel* .....	141"
Dry Weight w/ Engines.....	9,480 lbs
Fuel Capacity.....	219 gal
Deadrise .....	24 Degrees
Draft .....	23" Engines Up
Draft .....	35.75" Engines Down
Center Forward Storage .....	256 qts
Fwd Seat Fishbox/ Dry Storage (2).....	169 qts ea
In-Deck Fishbox/ Locking Rod Storage .....	456 qts
Console Cooler Seat .....	74 qts
Head w/ Holding Tank.....	6 gal
Freshwater Tank.....	33 gal
Transom Livewell.....	25 gal
Transom Fishbox.....	124 qts

\* Measurement is to tallest available standard/option,  
Open-Array Radar



252.482.3837  
Edenton, North Carolina  
regulatormarine.com

## 28 OPTIONAL EQUIPMENT

### Exterior Colors

- Featured or Custom Hull Color – Entire Hull or Sides Only
- Bracket with Matching Gelcoat Color
- Bracket with Synthetic Teak Marine Decking
- Black Powder Coat Package – includes T-Top Frame, Seatback Rails & Rocket Launcher, Helm & Forward Seating Integrated Handrails – Plus T-Top Rocket Launchers when optioned

### Power & Systems

- Twin White Yamaha F350 4-Stroke Engines with DES Tilt Helm, DEC, and Electronic Key Switch with Wireless Key Fob plus Helm Master™ EX Joystick with Multimode Set Point™ and EX Autopilot with Waypoint Deceleration
- Yamaha EX Autopilot with Waypoint Deceleration (*Standard with Helm Master™ EX Power Option above*)
- 36-Amp Battery Charger with 25' Cord

### T-Top & Tower

- T-Top Rocket Launcher
- GEMLUX® Deluxe Outrigger Bases with 18' Collapsible Poles and GEMLUX® Double Rigger Kit
- T-Top Underside to Match Hull Sides
- T-Top Underside Different Than Hull Sides
- T-Top Storage Compartment

### Seating & Upholstery

- 28 Tackle Center Cooler Edition: Retains all Helm Seating & Rocket Launcher Features – plus Slide-Out Cooler with Cushion for additional Storage and Seating and Modified Tackle Storage\*\*
- Drop-In Tackle Box (*for Cooler Edition only*)
- Dual-Height Pedestal Table with Magnetic Filler Cushion; Storage for Table in Console & Pedestal in Forward Seating
- Dove Gray Upholstery
- Sandbar Upholstery
- Coastal Cobia Upholstery
- Diamond Quilted Upholstery
- Real Teak Ladder-Back Helm Chairs, Helm Armrests, and Forward Console Armrests

### Electronics

- Factory-Installed Garmin® GMR™ 434 xHD 4kW Open-Array Radar
- Factory-Installed Garmin® GMR™ 1234 xHD 12kW Open-Array Radar
- Factory-Installed Garmin® GMR™ Fantom 54 Open-Array Radar
- Factory-Installed Garmin® GXM™ 54 SiriusXM® Marine Weather Receiver Upgrade

### Electronics (*Cont'd*)

- Factory-Installed Garmin® GT36UHD-TM Ultra High-Def ClearVü and SideVü Side Scan Transducer
- Entertainment Upgrade Package: Includes Fusion® Dynamically Calibrated System with (10) Premium Backlit Speakers, Subwoofer, Amps, External Antenna, and Integrated Wi-Fi
- (2) Inductive Cell Phone Chargers: (1) at Helm, (1) Inside Console
- (2) Inductive Cell Phone Chargers in Recessed Console Trays
- Electric Anchor Light and Antenna Mounts
- Multi-Colored Underwater LED Lights (2) with Underwater Camera
- Center Forward LED Light Bar on T-Top

### Fishing Upgrades

- Dual Pressurized Transom Livewells\*\* with Clear Acrylic Lids and Etched Regulator Logos
- Refrigerated Transom Fishbox
- (6) Aft Gunwale Cup Holder Rod Holders (*Converted from Standard*)
- (8) Additional Forward Gunwale Conventional Rod Holders OR (8) Additional Forward Gunwale Cup Holder Rod Holders
- (2) Conventional Transom Rod Holders
- Quick-Release Under Gunwale Gaff Holder

### Comfort & Convenience

- Through Stem Bow Roller with Anchor Windlass, Freshwater Anchor Wash, Remote Switch, 150' Rode with 15' Chain, and Anchor
- Edson™ Wheel with Power Knob
- Phender Pro™ with (4) Quick-Release Fender Cleats
- Bucket Holder with (2) Buckets
- Gray Helm Pad with Black Regulator Logo
- Sandbar Helm Pad with Black Regulator Logo

### Shades & Canvas

- Forward Sun Shade (*Various Colors*)
- Rear Shade with T-Top Mounted Shade Poles (*Black Only*)
- All-Weather Spray Curtain Enclosure
- Helm, Console & Seating Canvas Covers (*Various Colors*)
- Engine Canvas Covers (*Various Colors*)

\*\*In Lieu of Standard

Boat Manufactured By:

## REGULATOR

PO Box 49 • Edenton, NC 27932

(252) 482-3837

[www.regulatormarine.com](http://www.regulatormarine.com)

### REGULATOR 28 CC

Length	27' 7"
Beam	9' 5"
Dry Weight (Boat Mfr. Pub)	8,500 lbs
Maximum HP	700 hp
Fuel Capacity	219 gal
Weight as Tested	11,028 lbs

### F350XSA2 / LF350XSA2

Horsepower	350 hp
Induction	EFI/VCT/DOHC
Displacement	4.3L
Weight (Estimated)	629 - 629 lbs

### ENGINE MOUNTING HEIGHT

Mounting Hole Position	#2
Ventilation Plate Height	2 7/8" Above Boat Bottom

### PROPELLER(S)

Series	Saltwater Series II
Diameter x Pitch	15 x 21
Yamaha Part #	6CF-45972-20-00 / 6CE-45972-20-00
Propeller Material	Stainless Steel

### TEST CONDITIONS

Number of People	2
Air / Water Temperature (Fahrenheit)	85° F / 78° F
Elevation (in feet above sea level)	0'
Wind Velocity	5-10 MPH

### COMMENTS

Test weight includes 115 gallons of fuel, 3 batteries, safety and test equipment.

YPB#: PB\_REG\_28\_CC\_TW\_F350XSA2\_8-25-2025\_OCC



**Engine:** Yamaha F350XSA2 / LF350XSA2

**Boat:** Regulator 28 CC

**Configuration:** Twin

**Test Date:** 25-Aug-2025



### PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	6.3	2.5	2.50
1500	9.0	4.4	2.07
2000	9.9	8.0	1.24
2500	12.9	12.9	1.00
3000	18.2	15.5	1.17
<b>3500</b>	<b>32.8</b>	<b>20.0</b>	<b>1.64</b>
4000	39.5	24.8	1.60
4500	45.8	30.1	1.52
5000	51.5	38.0	1.35
5500	55.6	49.7	1.12
<b>6000</b>	<b>61.1</b>	<b>61.1</b>	<b>1.00</b>
<b>0-30 MPH: 9.37 seconds</b>			

### NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of