



REGULATOR
the offshore life

30xo
NEW FOR 2027

30XO STANDARD EQUIPMENT*



Rendering may show both
Standards and Options



252.482.3837
Edenton, North Carolina
regulatormarine.com

Power & Ride

- Twin White Yamaha F350 4-Stroke Engines with DES Tilt Helm, DEC, and Electronic Key Switch with Wireless Key Fob
- Seakeeper Ride™ Underway Stabilization System

T-Top, Helm & Electronics

- Fiberglass T-Top with Surfboard Edges, Spreader Lights and Multi-Colored LED Lights – Complete with Integrated, Vented, Wraparound Windshield, Windshield Wiper/Washer, with (10) Rocket Launchers built into Aft Support Frame
- White Powder Coat Package
- Factory-Installed Garmin® 30XO Premium Fish Package: Two 17" GPSMAP® 9217XSV Multi-Touch Widescreen Chartplotter/Sonar Displays, VHF 215 AIS Radio with Dual 8' Antennas, and Garmin® GT12M-THF CHIRP Transducer, Plus Black Flushmount Electronics Face and Remote Mic
- Offshore Command Center: Garmin® Multi-Function Displays with Digital Switching and Monitoring, Plus Proprietary Regulator MyHelm™ Interface for Seamless and Intuitive Connectivity of Key Functions via Touchscreen, and Dedicated MyHelm™ Key Fob for Main Power and Lighting Circuits
- Yamaha Next Generation Digital Boat Control System with Digital Electric Steering (DES) Tilt Helm, Multifunction Digital Electronic Control (DEC), Electronic Key Switches (EKS) with Wireless Fob, and WiFi-Enabled CL5™ Multifunction Touchscreen Display
- Ritchie® Compass
- Fusion® Apollo 770 Marine Stereo with AM/FM/WB, direct access to SiriusXM® Radio (requires subscription), Apple AirPlay, Bluetooth®, Integrated DSP, and (4) Backlit Speakers throughout Deck & Cockpit
- EZ-View Flushmount Electronic Mounting Face with Access in Head Compartment
- Illuminated Glove Box with Lid
- Recessed Console Storage Trays (*Replaced with Non-Skid Mat when Half Tower Station is Selected*)
- Recessed Comfort Footrest with Storage Access
- Stainless Steel Cup Holders (2)
- Integrated Switch Panel with LED Push Button Switches
- Stainless Steel Steering Wheel
- USB Charging Ports at Helm and in Forward Seating Area

Console Interior

- Quad Battery System with Key Fob-Enabled Switches and Marine Batteries
- Stand-Up, Gel-Finished Head Compartment with Head with Holding Tank, Overboard Discharge, and Interior Lighting

Deck & Cockpit

- Forward Deck Anchor Locker
- Self-Bailing Cockpit with Stainless Steel Scuppers
- Stainless Steel Through-Hull Fittings
- Bilge Pump with Automatic Float Switch
- 23 gal. Freshwater System with Wash Downs and Transom Shower
- Molded Non-Skid Horizontal Surfaces
- Coaming Pads
- Stainless Steel Hardware Through-Bolted with Elastic Stop Nuts
- Stainless Steel Pull-Up Cleats (6)
- Insulated, Illuminated Aft Platform Storage and Standard Livewell
- Cockpit Lighting
- Swim Platform with Ladder

Seating

- 30XO Tackle & Entertainment Center with Corian® Countertop, Removable Cutting Board, Tackle Storage, Waste Basket, and Freshwater Wash Down, with (10) Rocket Launchers built into Aft Support Frame
- Upholstered Forward Console Settee with Sliding Footrest Extension and Built-In Insulated Cooler
- Integrated Flush-Folding Rear Cockpit Seats (3) with Integrated Dual Bucket Holders & Custom Buckets
- Forward Seating with Flip-up Backrests (2)
- Center Forward Seat with Dry Storage – Insulated, Illuminated

Fishing Equipment

- Raw Water Wash Down and Livewell Plumbing
- Dual Forward Seat Fishboxes/Dry Storage – Insulated and Illuminated with Overboard Drains and Locking Rod Storage
- (6) Stainless Steel Aft Gunwale Conventional Rod Holders
- Forward In-Deck Fishbox – Insulated, Illuminated, Macerated
- Aft Starboard Livewell – Insulated, Illuminated

*Some standards may be upgraded based on the options you choose.
Model year specifications and pricing are subject to change at any time and may vary from those shown.

SPECIFICATIONS

LOA.....	30' 7"
Beam.....	10' 2"
Height in Head.....	65"
Bridge Height*	108" (117" w/ Tower)
Height from Keel*	123" (134" w/ Tower)
Dry Weight w/ Engines.....	9,525 lbs
Fuel Capacity.....	222 gal
Deadrise	15 Degrees
Draft.....	21" Engines Up
Draft.....	35" Engines Down
Center Forward Storage.....	187 qts
Fwd Seat Fishbox/ Dry Storage (2).....	216 qts ea
In-Deck, Macerated Fishbox	294 qts
Console Settee	218 qts
Head w/ Holding Tank.....	9 gal
Freshwater Tank.....	23 gal
Aft Livewell.....	29 gal
Aft Platform Storage (2).....	116 qts ea

* Measurement is to tallest available standard/option



252.482.3837
Edenton, North Carolina
regulatormarine.com

30XO OPTIONAL EQUIPMENT

Exterior Colors

- Featured or Custom Hull Color – Entire Hull or Sides Only
- Black Powder Coat Package – includes T-Top Frame, Seatback Rails & Rocket Launcher, Helm & Forward Seating Integrated Handrails
- Black Powder Coat Package (*Tower*)

Power & Systems

- Twin White Yamaha F350 4-Stroke Engines with DES Tilt Helm, DEC, and Electronic Key Switch with Wireless Key Fob – plus, Helm Master™ EX Joystick with Multimode Set Point™, EX Autopilot with Waypoint Deceleration
- Yamaha EX Autopilot with Waypoint Deceleration (*Standard with Helm Master™ EX*)
- Hydraulic Jackplates with Helm-Mounted Pro Trim Control
- Seakeeper® 1 Gyro Stabilization System (*Tackle Center Storage is altered with the selection of Seakeeper® 1*)
- Garmin® Force® Kraken 90" Trolling Motor with Garmin® MFD Interface, GPS Autopilot, Batteries, and 36A Charger
- Trolling Motor READY
- 36-Amp Battery Charger with 25' Cord (*for Engine and House Batteries*)

T-Top & Tower

- Upper Station with Sliding Sunroof, Helm Seat with Handrails and (2) Cup Holders, Dual Station Controls, Engine Start/Stop Panel, Yamaha WiFi-Enabled CL5™ Display, and Garmin® 943 Display, with (10) Rocket Launchers built into Aft Support Frame (*Not Available with Dome Radar*)
- GEMLUX® Deluxe Outrigger Bases with 18' Collapsible Poles and GEMLUX® Double Rigger Kit
- T-Top Underside to Match Hull Sides
- T-Top Underside Different Than Hull Sides

Seating & Upholstery

- Dove Gray Upholstery
- Sandbar Upholstery
- Coastal Cobia Upholstery
- Diamond Quilted Upholstery
- Real Teak Accents

Electronics

- Factory-Installed Garmin® GMR™ 24 xHD Marine Dome Radar (*Not Available with LED Light Bar or Half Tower Station*)
- Factory-Installed Garmin® Fantom 24 Dome Radar (*Not Available with LED Light Bar or Half Tower Station*)

Electronics (*Cont'd*)

- Factory-Installed Garmin® GXM™ 54 SiriusXM® Marine Weather Receiver Upgrade
- Factory-Installed Garmin® GT36UHD-TM Ultra High-Def ClearVü and SideVü Side Scan Transducer
- Entertainment Upgrade Package: Includes Fusion® Dynamically Calibrated System with (8) Premium Backlit Speakers, Subwoofer, Amps, and Integrated Wi-Fi
- (2) Inductive Cell Phone Chargers: (1) at Helm, (1) Inside Console
- (2) Inductive Cell Phone Chargers in Recessed Console Trays (*Not Available with Tower*)
- Electric Anchor Light and Antenna Mounts
- Multi-Colored Underwater LED Lights (2) with Underwater Camera
- Center Forward LED Light Bar on T-Top (*Not Available with Dome Radar*)

Fishing Upgrades

- Dual 10' Power Pole Blades
- Second 29 gal. Aft Livewell (*Converted from Standard Aft Storage*)
- (8) Additional Forward Conventional Rod Holders OR (8) Additional Forward Cup Holder Rod Holders
- Under Gunwale Locking Rod Storage Boxes

Comfort & Convenience

- Edson™ Wheel with Power Knob (*Console*)
- Edson™ Wheel with Power Knob (*Tower*)
- Edson™ Elite Carbon Wheel with Power Knob (*Console*)
- Edson™ Elite Carbon Wheel with Power Knob on (*Tower*)
- Phender Pro™ with (4) Quick-Release Fender Cleats
- Gray Helm Pad with Black Regulator Logo
- Sandbar Helm Pad with Black Regulator Logo

Shades & Canvas

- Forward Sun Shade (*Various Colors*)
- Rear Shade (*Black Only*)
- Helm, Console & Forward Settee Seating Canvas Covers (*Various Colors; without Half Tower*)
- Helm, Console & Forward Settee Seating Canvas Covers (*Various Colors; with Seat Cover for Half Tower*)
- Engine Canvas Covers (*Various Colors*)

Boat Manufactured By:

REGULATOR

PO Box 49 • Edenton, NC 27932

(252) 482-3837

www.regulatormarine.com

REGULATOR 30 XO

Length	30' 7"
Beam	10' 2"
Dry Weight (Boat Mfr. Pub)	8,300 lbs
Maximum HP	700 hp
Fuel Capacity	222 gal
Weight as Tested	11,786 lbs

LF350USA2 / F350USA2

Horsepower	350 hp
Induction	EFI/VCT/DOHC
Displacement	4.3L
Weight (Estimated)	642 - 642 lbs
Gear Ratio	1.75:1

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#4
Ventilation Plate Height	2 3/4" Above Boat Bottom

PROPELLER(S)

Series	Saltwater Series II
Diameter x Pitch	15 x 21
Yamaha Part #	6CF-45972-20-00 / 6CE-45972-20-00
Propeller Material	Stainless Steel

TEST CONDITIONS

Number of People	3
Air / Water Temperature (Fahrenheit)	61° F / 67° F
Elevation (in feet above sea level)	0'
Wind Velocity	10-15 MPH

COMMENTS

Test weight includes 100 gallons of fuel, 4 batteries, Dual Power Poles, Dome Radar, Entertainment Package Upgrade, safety and test equipment.

YPB#: PB_REG_30 XO_TW_LF350USA2_04-19-2024_OCC



Engine: Yamaha LF350USA2 /

F350USA2

Boat: Regulator 30 XO

Configuration: Twin

Test Date: 19-Apr-2024

PERFORMANCE DATA



RPM	MPH	GPH	MPG
1000	6.2	2.6	2.41
1500	8.4	4.4	1.92
2000	10.0	7.5	1.33
2500	14.6	11.9	1.22
3000	25.8	15.2	1.70
3500	34.3	18.8	1.82
4000	40.0	25.1	1.59
4500	45.2	30.4	1.49
5000	50.5	42.1	1.20
5500	56.6	54.3	1.04
6000	62.7	61.1	1.03
0-20 MPH: 4.69 seconds			
0-30 MPH: 7.42 seconds			

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain



NEW FOR
2027

68 NEW FEATURES ONE UNBEATABLE RIDE

Next-Gen Regulator 31

New T-Top with Custom Vent and 11 Aft Rocket Launchers, E-Hub Lithium Battery System

Glass-Touch Control Panel Helm

The cleanest dash we've ever produced

Heated Helm Seats

Cool mornings just warmed up

Quick-Connect Engine Flush

Flushing your engines is fast and easy

Additional Upholstery Colors

More options than ever

There's never been a better time to get on board a new Regulator. Standout standards including Seakeeper Ride continue to dominate, with award-winning features raising the bar.

Tour and trial the latest today.

*Standards & Options vary by model

SEAKEEPER RIDE IS NOW STANDARD!


Regulator's unbeatable ride and Seakeeper Ride's cutting-edge stabilization go hand in hand.

Designed for high-speed performance and real-time motion correction, Seakeeper Ride is a transom-mounted Vessel Attitude Control System™ (VACS) that offers complete underway stabilization, correcting motion before you even feel it — and eliminating pitch, roll, and yaw. Plus, it's fully automatic: no controls to adjust, no input required. **Just turn it on and enjoy the ride.**

WHY DO WE OFFER IT STANDARD?

Because we want to ensure factory-installed excellence and a turnkey experience that gets you out on the water the moment you make it yours.

 **SEAKEEPER**
RIDE



REGULATOR MODEL	SEAKEEPER RIDE SYSTEM
37	750 Quad
35	750 Quad
31	600
28	525
25	450
23	450
30xo	525
26xo	450
24xo	450

REGULATOR OFFSHORE

41



LOA: 41' 3"
LOA w/ Bracket & Engines: 46' 10"
Beam: 12' 6"
Fuel Capacity: 600 gal



Dry Weight w/ Engines: 23,500 lbs
Draft: 29" Engines Up
Fishbox & Storage Cap: 1,784 qts
Transom Livewells (2): 40 gal ea

28



LOA: 27' 8"
LOA w/ Bracket & Engines: 32' 6"
Beam: 9' 5"
Fuel Capacity: 219 gal



Dry Weight w/ Engines: 9,480 lbs
Draft: 23" Engines Up
Fishbox & Storage Cap: 1,248 qts
Starboard Transom Livewell: 25 gal

37



LOA: 37' 7"
LOA w/ Bracket & Engines: 43' 5"
Beam: 12' 7"
Std. Fuel Capacity: 507 gal



Dry Weight w/ Engines: 19,300 lbs
Draft: 34" Engines Up
Fishbox & Storage Cap: 1,899 qts
Transom Livewells (2): 33 gal ea

25



LOA: 25' 2"
LOA w/ Bracket & Engines: 30' 0"
Beam: 8' 10"
Fuel Capacity: 160 gal



Dry Weight w/ Engines: 8,330 lbs
Draft: 22" Engines Up
Fishbox & Storage Cap: 1,050 qts
Transom Livewell/Fishbox: 46 gal

35



LOA: 35' 1"
LOA w/ Bracket & Engines: 40' 8"
Beam: 11' 9"
Std. Fuel Capacity: 405 gal



Dry Weight w/ Engines: 16,500 lbs
Draft: 27" Engines Up
Fishbox & Storage Cap: 1,322 qts
Center Transom Livewell: 43 gal

23



LOA: 23' 5"
LOA w/ Bracket & Engines: 27' 6"
Beam: 8' 6"
Fuel Capacity: 149 gal



Dry Weight w/ Engines: 7,120 lbs
Draft: 21" Engines Up
Fishbox & Storage Cap: 899 qts
Transom Livewell/Fishbox: 46 gal

31



LOA: 31' 4"
LOA w/ Bracket & Engines: 36' 5"
Beam: 10' 4"
Fuel Capacity: 300 gal



Dry Weight w/ Engines: 11,140 lbs
Draft: 26.5" Engines Up
Fishbox & Storage Cap: 1,452 qts
Starboard Transom Livewell: 36 gal

Every one of our offshore center console boats features 24 degrees of deadrise. That's why only a Regulator crushes offshore chop and delivers smoother, drier, more controlled rides in every condition — with a custom-engineered stringer system that makes the entire boat feel unshakable.

Ride it once, feel the difference forever.

REGULATOR XO HYBRID

30xo




LOA: 30' 7"
Beam: 10' 2"
Dry Weight w/ Engines: 9,525 lbs
Fuel Capacity: 222 gal
Deadrise: 15 degrees

Draft: 21" Engines Up
35" Engines Down
Center Fwd Storage: 187 qts
Fwd Seat Fishbox/
Dry Storage (2): 216 qts ea

In-Deck, Macerated
Fishbox: 294 qts
Console Settee: 218 qts
Aft Platform Storage (2): 116 qts ea
Aft Starboard Livewell: 29 gal



26xo



LOA: 26' 9"
Beam: 9' 3"
Dry Weight w/ Engine: 7,270 lbs
Fuel Capacity: 107 gal
Deadrise: 17 degrees

Draft: 20.5" Engine Up
30" Engine Down
Center Fwd Storage: 216 qts
Fwd Seat Fishbox/ Dry
Storage w/ Locking Rod
Storage (2): 292 qts ea

In-Deck, Macerated
Fishbox: 280 qts
Console Cooler Seat: 56 qts
Aft Platform Storage (2): 256 qts ea
Tackle Center Livewell: 32 gal



24xo



LOA: 24' 4"
Beam: 8' 5"
Dry Weight w/ Engine: 5,250 lbs
Fuel Capacity: 86 gal
Deadrise: 17 degrees

Draft: 16" Engine Up
25.5" Engine Down
Fwd Seat Fishbox/ Dry
Storage w/ Locking Rod
Storage (2): 190 qts ea

In-Deck, Macerated
Fishbox: 189 qts
Console Cooler Seat: 51 qts
Aft Platform Storage: 102 qts
Aft Starboard Livewell: 25.5 gal

Regulator's XO Series of hybrid center console boats is designed to go anywhere and do everything — giving you easy access to lakes, bays and skinny waters, plus the capability to head offshore when the time is right.

THE RESULTS ARE IN! OUR REGULATOR OWNERS' SURVEY

TOP 3 WAYS
OWNERS SPEND
TIME ON THE WATER

- 1 FISHING**
- 2 CRUISING**
- 3 FAMILY FUN**

97%

OF REGULATOR OWNERS
GO UP TO 100 MILES
OFFSHORE ON A
REGULAR BASIS

LESS THAN 1%
**WARRANTY &
RESALE VALUE**
THAT IS SECOND-TO-NONE



**THE BOAT
EVERYONE ELSE
IS TRYING TO BE
THERE IS
NO SUBSTITUTE**

— Tom C., Regulator Owner

4 OUT OF 5

REGULATOR OWNERS
GIVE THEIR BOAT
**5-STAR
DEPENDABILITY**



BUILD YOURS TODAY



252.482.3837 | Edenton, NC
regulatormarine.com | [@regulatormarine](https://www.instagram.com/regulatormarine)



#offshorelife


REGULATOR
the offshore life