

## 25 STANDARD EQUIPMENT\*



Rendering may show both  
Standards and Options



252.482.3837  
Edenton, North Carolina  
regulatormarine.com

### Power

- Twin Yamaha F250 4-Stroke Engines with DES Tilt Helm and DEC

### T-Top, Helm & Electronics

- Fiberglass T-Top with Surfboard Edges, Spreader Lights, and Multi-Colored LED Lights – Complete with Integrated, Vented, Wraparound Windshield
- White Powder Coat Package
- Factory-Installed Garmin® 16 Fish Package: One 16" GPSMAP® 1643XSV Multi-Touch Widescreen Chartplotter/Sonar Display, VHF 215 Radio with Dual 8' Antennas, and Garmin® GT12M-THF CHIRP Transducer
- Yamaha Next Generation Digital Boat Control System with Tilt Helm Digital Electric Steering (DES), Multifunction Digital Electronic Control (DEC), and CL5™ Multifunction Touchscreen Display
- Ritchie® Compass
- Fusion® Apollo 670 Marine Stereo with AM/FM/WB, SiriusXM® and Apple AirPlay 2 Ready, Bluetooth®, Integrated DSP, and (4) Backlit Speakers throughout Deck & Cockpit
- EZ-View Flushmount Electronic Mounting Face with Access in Head Compartment
- Illuminated Glove Box with Fiberglass Lid
- Switch Panel with Stainless LED Push Button Switches
- USB Charging Ports

### Console Interior

- Triple Battery System with Switches and Marine Batteries
- Vented Port Light in Console
- Stand-Up Head Compartment with Head with Holding Tank, Interior Lighting, Mirror, and Electric Tank Pumpout

### Deck & Cockpit

- 360° Coaming Pads
- Stainless Steel 14x18 Trim Tabs with Indicator Switch
- Pull-Up Bow Cleats
- Stainless Steel Hardware Through-Bolted with Elastic Stop Nuts
- Molded Non-Skid Horizontal Surfaces
- Engine Bracket with Ladder
- 230 qt. Forward Center Dry Storage Compartment
- Forward Deck Anchor Locker with Rope Storage
- Stainless Steel Scuppers
- Transom Walkthrough Tuna Door
- USB Charging Ports (FS Area)

### Seating

- Upholstered Forward Console Seating for Two
- Signature Series Tackle Center/Leaning Post with Seatback Rocket Launcher, Handrail, Cup Holders, and Tackle Storage including (8) Plano® Trays Stored Below Seating
- 64 qt. Insulated Cooler Under Forward Console Seat
- Integrated Flush Folding Transom Seat

### Fishing Equipment

- Raw Water Wash Down and Livewell Plumbing
- Insulated, Illuminated Forward Fishbox/Dry Storage (2)
- In-Deck Illuminated, Macerated Fishbox/Locking Rod Storage
- 20 gal. Freshwater System with Wash Down and Transom Shower
- Insulated, Illuminated Transom Livewell/Fishbox
- (6) Stainless Steel Rod Holders

\*Some standards may be upgraded based on the options you choose.

## SPECIFICATIONS

LOA.....	25' 2"
LOA w/ Bracket & Engines .....	30' 0"
Beam.....	8' 10"
Height in Head.....	74"
Bridge Height* .....	110"
Height from Keel* .....	134"
Dry Weight w/ Twin 250 Engines .....	8,330 lbs
Fuel Capacity.....	160 gal
Deadrise .....	24 Degrees
Draft.....	22" Engines Up
Draft .....	34.5" Engines Down
Center Forward Storage .....	230 qts
Fwd Seat Fishbox/ Dry Storage (2).....	178 qts ea
In-Deck Fishbox/Locking Rod Storage.....	408 qts
Console Cooler Seat .....	64 qts
Optional Head w/ Holding Tank .....	9 gal
Freshwater Tank.....	20 gal
Transom Fishbox/Livewell.....	46 gal

\* Measurement is to tallest available option (24" Radar)



252.482.3837  
Edenton, North Carolina  
regulatormarine.com

## 25 OPTIONAL EQUIPMENT

### Exterior Colors

- Featured or Custom Hull Color – Entire Hull or Sides Only
- Bracket with Matching Gelcoat Color
- Bracket with Synthetic Teak Marine Decking

### Power & Systems

- Yamaha EX Autopilot with Waypoint Deceleration
- Trolling Motor Ready
- 20-Amp Battery Charger with 25' Cord

### T-Top & Tower

- T-Top Rocket Launcher
- GEMLUX® Deluxe Outrigger Bases with 18' Collapsible Poles and GEMLUX® Double Rigger Kit
- T-Top Underside to Match Hull Sides
- T-Top Underside Different Than Hull Sides

### Seating & Upholstery

- 2X Deluxe Tackle Center\*\*: Helm Upholstered Console Seating for Two with Flip-Up Bolster and Individual Folding Footrests with SoftGrip Foot Rail; Seatback Rocket Launcher with Cup Holders; (2) Tackle Drawers, (8) Medium and (2) Large Plano® trays in Cabinet; and Knife/Hook/Cup Holders
- Fiberglass Sun Bed with Filler Cushion and Convertible Pedestal Table
- Removable Forward Seating Backrests (2)
- Dove Gray Upholstery
- Sandbar Upholstery
- Diamond Quilted Upholstery

### Electronics

- Factory-Installed Garmin® Premium Fish Package: Dual 12" GPSMAP® 1243XSV Multi-Touch Widescreen Chartplotter/Sonar Displays, VHF 215 AIS Radio with Dual 8' Antennas, and Garmin® GT12M-THF CHIRP Transducer
- Factory-Installed Garmin® GMR™ 24 xHD Marine Dome Radar (Not Available with LED Light Bar)
- Factory-Installed Garmin® GMR™ Fantom 24 Marine Dome Radar (Not Available with LED Light Bar)
- Factory-Installed Garmin® GXM™ 54 SiriusXM® Marine Weather Receiver Upgrade
- Factory-Installed Garmin® GT36UHD-TM Ultra High-Def ClearVü and SideVü Side Scan Transducer
- Entertainment Upgrade Package: Includes Fusion® Dynamically Calibrated System with (6) Premium Backlit Speakers, Subwoofer, Amp, and External Antenna
- Electric Anchor Light and Antenna Mounts
- Multi-Colored Underwater LED Lights (2)
- LED Light Bar

### Fishing Upgrades

- (6) Aft Gunwale Cup Holder Rod Holders (Converted from Standard)
- (8) Additional Forward Gunwale Conventional Rod Holders
- (8) Additional Forward Gunwale Cup Holder Rod Holders

### Comfort & Convenience

- Through Stem Bow Roller w/ Anchor Windlass, Remote Switch, Chain, Anchor, and Anchor Wash
- Edson™ Wheel with Power Knob\*\*
- Cockpit Freshwater Engine Flush
- Phender Pro™ with 4 Quick-Release Fender Cleats
- Bucket Holder with (2) Buckets
- Hose Coil Racks (2) for Raw Water and Freshwater Wash Downs
- Removable Watersports Tow Bar
- Gray Helm Pad with Black Regulator Logo
- Sandbar Helm Pad with Black Regulator Logo

### Shades & Canvas

- Forward Sun Shade (Various Colors)
- Rear Shade (Black Only)
- All-Weather Spray Curtain Enclosure
- Helm, Console & Seating Canvas Covers (Various Colors)
- Engine Canvas Covers (Various Colors)

\*\*In Lieu of Standard

Boat Manufactured By:

## REGULATOR

PO Box 49 • Edenton, NC 27932  
(252) 482-3837

[www.regulatormarine.com](http://www.regulatormarine.com)

### REGULATOR 25CC

Length	25' 2"
Beam	8' 10"
Dry Weight (Boat Mfr. Pub)	8,380 lbs
Maximum HP	500 hp
Fuel Capacity	160 gal
Weight as Tested	10,620 lbs

### F250XCA / LF250XCA

Horsepower	250 hp
Induction	EFI/VCT/DOHC
Displacement	4.2L
Weight (Estimated)	562 lbs
Gear Ratio	1.75:1

### ENGINE MOUNTING HEIGHT

Mounting Hole Position	#1
Ventilation Plate Height	3-1/2" Above Boat Bottom

### PROPELLER(S)

Series	Saltwater Series II™
Diameter x Pitch	15-1/4 x 19
Yamaha Part #	6CE-45970-20-00 / 6CF-45970-20-00
Propeller Material	Polished Stainless Steel

### TEST CONDITIONS

Number of People	2
Air / Water Temperature (Fahrenheit)	78° F / 85° F
Elevation (in feet above sea level)	0'
Wind Velocity	5-10 MPH

### COMMENTS

Test weight includes 80 gallons of fuel, 3 batteries, safety and test equipment

YPB#: PB\_REG\_25CC\_TW\_F250XCA\_\_07-20-2019\_OCC



**Engine:** Yamaha F250XCA / LF250XCA

**Boat:** Regulator 25CC

**Configuration:** Twin

**Test Date:** 19-Jul-2019



### PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	6.0	2.5	2.38
1500	8.2	4.4	1.86
2000	9.5	7.6	1.25
2500	11.4	12.1	0.95
3000	17.2	15.6	1.10
<b>3500</b>	<b>31.8</b>	<b>18.1</b>	<b>1.75</b>
4000	37.2	24.4	1.52
4500	42.3	31.9	1.33
5000	47.6	45.0	1.06
5500	52.2	49.3	1.06
<b>6000</b>	<b>55.9</b>	<b>49.5</b>	<b>1.13</b>
<b>0-30 MPH: 7.88 seconds</b>			

#### NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.