

28 STANDARD EQUIPMENT*



Rendering may show both
Standards and Options



252.482.3837
Edenton, North Carolina
regulatormarine.com

Power & Ride

- Twin White Yamaha F350 4-Stroke Engines with DES Tilt Helm, DEC, and Electronic Key Switch with Wireless Key Fob
- Seakeeper Ride™ Underway Stabilization System

T-Top, Helm & Electronics

- Fiberglass T-Top with Surfboard Edges, Integrated Wraparound Windshield and Windshield Wiper/Washer, new T-Top Drainage Gutters/ Handrail – Complete with Electronics Box, Integrated Navigation/Dock Lighting, Spreader Lights, and Multi-Colored LED Lights
- Custom T-Top Ventilation System with (2) Directional Vents at Radio Box and (1) Large Center Vent for Maximum Air Distribution and Mist Elimination
- White Powder Coat Package
- Factory-Installed Garmin® 28 Premium Package: Two 16" GPSMAP® 8616XSV Multi-Touch Widescreen Chartplotter/Sonar Displays, VHF 215 AIS Radio with Dual 8' Antennas, Airmar® B275LHW with Wide Beam 1kW CHIRP Transducer, Plus Black Flushmount Electronics Face and Remote Mic
- Yamaha Next Generation Digital Boat Control System with Digital Electric Steering (DES) Tilt Helm, Multifunction Digital Electronic Control (DEC), Electronic Key Switches (EKS) with Wireless Fob, and WiFi-Enabled CL5™ Multifunction Touchscreen Display
- Ritchie® SuperSport Compass
- Fusion® Apollo 770 Marine Stereo with AM/FM/WB, SiriusXM® Ready, Wi-Fi Audio Streaming, Apple AirPlay 2, Bluetooth®, Integrated DSP, and (4) Backlit Speakers throughout Deck & Cockpit
- EZ-View Flushmount Electronic Mounting Face with Access in Head Compartment
- Illuminated Glove Box with Fiberglass Lid
- Recessed Console Storage Trays
- Integrated Switch Panel with LED Push Button Switches
- Stainless Steel Steering Wheel
- USB Charging Ports at Helm and in Forward Seating Area

Console Interior

- Triple Battery System with Switches and Marine Batteries
- Vented Port Light in Console
- Stand-Up Head Compartment with Electric Head, 6 gal. Holding Tank, Interior Lighting, Mirror, and Electric Tank Pumpout
- Vanity with Sink
- Chilewich Flooring in Console

Deck & Cockpit

- Forward Deck Anchor Locker with Overboard Drain
- Raised Bullnose Toe Rail on Extra-Wide Forward Gunwale
- Self-Bailing Cockpit with Stainless Steel Scuppers
- Stainless Steel Through-Hull Fittings
- Oversized Bilge Compartment with Guttered, Watertight Lazarette Hatch for easy access to Gel-Finished Bilge & Equipment
- 33 gal. Freshwater System with Wash Down and Transom Shower
- Cockpit Freshwater Engine Flush
- Stainless Steel Hose Coil Racks (2) for Raw Water and Freshwater Wash Downs
- Molded Non-Skid Horizontal Surfaces
- 360° Coaming Pads
- Stainless Steel Hardware Through-Bolted with Elastic Stop Nuts
- (2) Pull-Up Bow Cleats, (2) Spring Cleats/Hawse Pipes Midship, (2) Stern Cleats/Hawse Pipes in Transom
- Transom Walkthrough Tuna Door
- Engine Bracket with Integrated Boarding Ladder

Seating

- Forward Seating with Magnetic Cushions, Integrated Flip-Up Backrests (2) and Center Seat Dry Storage – Insulated, Illuminated
- Upholstered Forward Console Seating for Two with Built-In Insulated Cooler
- 28 Tackle Center with Upholstered Helm Seating for Two with Individual Folding Footrests, (2) Cup Holders, and Seatback Rocket Launcher with Tackle Center & Storage, Including: Large Tackle Drawers (2 with and 2 without Dividers), (4) Large and (4) Small Plano® Trays, (2) Leader Spool Holders, and Pliers & Knife Holders
- Integrated Flush-Folding Transom Seat

Fishing Equipment

- Raw Water Wash Down and Livewell Plumbing
- Dual Forward Seat Fishboxes/Dry Storage – Insulated and Illuminated with Overboard Drains, and Center Forward Dry Storage Tub – Insulated and Illuminated
- Forward In-Deck Fishbox – Insulated, Illuminated, and Macerated with Locking Rod Storage (Holds 6 Rods)
- Transom Fishbox – Insulated, Illuminated
- Transom Livewell – Insulated, Illuminated
- (6) Stainless Steel Aft Gunwale Conventional Rod Holders

*Some standards may be upgraded based on the options you choose.

SPECIFICATIONS

LOA.....	27' 8"
LOA w/ Bracket & Engines	32' 6"
Beam.....	9' 5"
Height in Head.....	76"
Bridge Height*	117"
Height from Keel*	141"
Dry Weight w/ Engines.....	9,480 lbs
Fuel Capacity.....	219 gal
Deadrise	24 Degrees
Draft	23" Engines Up
Draft	35.75" Engines Down
Center Forward Storage.....	256 qts
Fwd Seat Fishbox/ Dry Storage (2).....	169 qts ea
In-Deck Fishbox/ Locking Rod Storage	456 qts
Console Cooler Seat	74 qts
Head w/ Holding Tank.....	6 gal
Freshwater Tank.....	33 gal
Transom Livewell.....	25 gal
Transom Fishbox.....	124 qts

* Measurement is to tallest
available option (48" Radar Array)



252.482.3837
Edenton, North Carolina
regulatormarine.com

28 OPTIONAL EQUIPMENT

Exterior Colors

- Featured or Custom Hull Color – Entire Hull or Sides Only
- Bracket with Matching Gelcoat Color
- Bracket with Synthetic Teak Marine Decking
- Black Powder Coat Package

Power & Systems

- Twin White Yamaha F350 4-Stroke Engines with DES Tilt Helm, DEC, and Electronic Key Switch with Wireless Key Fob plus Helm Master™ EX Joystick with Multimode Set Point™ and EX Autopilot with Waypoint Deceleration
- Yamaha EX Autopilot w/ Waypoint Deceleration (*Standard w/ Helm Master™ EX*)
- 36-Amp Battery Charger with 25' Cord

T-Top & Tower

- T-Top Rocket Launcher
- GEMLUX® Deluxe Outrigger Bases with 18' Collapsible Poles and GEMLUX® Double Rigger Kit
- T-Top Underside to Match Hull Sides
- T-Top Underside Different Than Hull Sides
- T-Top Storage Compartment

Seating & Upholstery

- 28 Tackle Center Cooler Edition: Retains all Helm Seating & Rocket Launcher Features – plus Slide-Out Cooler for additional Storage and Seating and Modified Tackle Storage**
- Dual-Height Pedestal Table with Magnetic Filler Cushion and Table/ Pedestal Storage
- Dove Gray Upholstery
- Sandbar Upholstery
- Diamond Quilted Upholstery
- Teak Ladder-Back Helm Chairs, Helm Armrests, and Forward Console Armrests

Electronics

- Factory-Installed Garmin® GMR™ 424 xHD 4kW Open-Array Radar
- Factory-Installed Garmin® GMR™ 1224 xHD 12kW Open-Array Radar
- Factory-Installed Garmin® GMR™ Fantom 54 Open-Array Radar
- Factory-Installed Garmin® GXM™ 54 SiriusXM® Marine Weather Receiver Upgrade
- Factory-Installed Garmin® GT36UHD-TM Ultra High-Def ClearVü and SideVü Side Scan Transducer

Electronics (*Cont'd*)

- Entertainment Upgrade Package: Includes Fusion® Dynamically Calibrated System with (10) Premium Backlit Speakers, Subwoofer, Amps, External Antenna, and Integrated Wi-Fi
- (2) Inductive Cell Phone Chargers: (1) at Helm, (1) Inside Console
- (2) Inductive Cell Phone Chargers in Recessed Console Trays
- Electric Anchor Light and Antenna Mounts
- Multi-Colored Underwater LED Lights (2)
- Center Forward LED Light Bar on T-Top
- Port and Starboard LED Light Bars on T-Top

Fishing Upgrades

- Dual Pressurized Transom Livewells** with Clear Acrylic Lids and Etched Regulator Logos, complete with Self-Cleaning, Self-Flushing, and Macerated Raw Water Sea Chest
- Refrigerated Transom Fishbox
- (6) Aft Gunwale Cup Holder Rod Holders (*Converted from Standard*)
- (8) Additional Forward Gunwale Conventional Rod Holders OR (8) Additional Forward Gunwale Cup Holder Rod Holders
- (2) Conventional Transom Rod Holders
- Quick-Release Under Gunwale Gaff Holder

Comfort & Convenience

- Through Stem Bow Roller with Anchor Windlass, Freshwater Anchor Wash, Remote Switch, Chain, and Anchor
- Edson™ Wheel with Power Knob**
- Phender Pro™ with (4) Quick-Release Fender Cleats
- Bucket Holder with (2) Buckets
- Removable Watersports Tow Bar
- Built-In 12V Watersports Inflation Station
- Gray Helm Pad with Black Regulator Logo
- Sandbar Helm Pad with Black Regulator Logo

Shades & Canvas

- Forward Sun Shade (*Various Colors*)
- Rear Shade with T-Top Mounted Shade Poles (*Black Only*)
- All-Weather Spray Curtain Enclosure
- Helm, Console & Seating Canvas Covers (*Various Colors*)
- Engine Canvas Covers (*Various Colors*)

**In Lieu of Standard

Boat Manufactured By:

REGULATOR

PO Box 49 • Edenton, NC 27932

(252) 482-3837

www.regulatormarine.com

REGULATOR 28 CC

Length	27' 7"
Beam	9' 5"
Dry Weight (Boat Mfr. Pub)	8,500 lbs
Maximum HP	700 hp
Fuel Capacity	219 gal
Weight as Tested	11,028 lbs

F350XSA2 / LF350XSA2

Horsepower	350 hp
Induction	EFI/VCT/DOHC
Displacement	4.3L
Weight (Estimated)	629 - 629 lbs

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#2
Ventilation Plate Height	2 7/8" Above Boat Bottom

PROPELLER(S)

Series	Saltwater Series II
Diameter x Pitch	15 x 21
Yamaha Part #	6CF-45972-20-00 / 6CE-45972-20-00
Propeller Material	Stainless Steel

TEST CONDITIONS

Number of People	2
Air / Water Temperature (Fahrenheit)	85° F / 78° F
Elevation (in feet above sea level)	0'
Wind Velocity	5-10 MPH

COMMENTS

Test weight includes 115 gallons of fuel, 3 batteries, safety and test equipment.

YPB#: PB_REG_28_CC_TW_F350XSA2_8-25-2025_OCC



Engine: Yamaha F350XSA2 /

LF350XSA2

Boat: Regulator 28 CC

Configuration: Twin

Test Date: 25-Aug-2025



PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	6.3	2.5	2.50
1500	9.0	4.4	2.07
2000	9.9	8.0	1.24
2500	12.9	12.9	1.00
3000	18.2	15.5	1.17
3500	32.8	20.0	1.64
4000	39.5	24.8	1.60
4500	45.8	30.1	1.52
5000	51.5	38.0	1.35
5500	55.6	49.7	1.12
6000	61.1	61.1	1.00
0-30 MPH: 9.37 seconds			

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of